

SAFETY DATA SHEET

Daily maintenance kit

IP5-230

OKI DATA INFOTECH CORPORATION



Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier Product Name : Daily maintenance kit Product Code : IP5-230 1.2 Relevant identified uses of the substance or mixture and uses advised against Inkjet Ink 1.3 Details of the supplier of the safety data sheet Manufacturer's Name : **OKI Data Infotech Corporation** 563, Takatsuka-Shinden, Matsudo-shi, Chiba, 270-2222, Japan Tel:+81-47-391-2349 OKI Europe Ltd. Wide Format Division Distributor: Siemensstrase 9, D-63263 Neu-Isenburg Germany +49 (0) 6102 297 400

< Cap cleaning liquid >

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

<Regulation (EC) No. 1272/2008>

Not a hazardous.

<67/548/EEC >

Not a hazardous.

2.2 Label elements

<Regulation (EC) No. 1272/2008>

Not a hazardous

2.3 Other hazards

None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

5	u	D	SI	a	10	:e	S		
	_	-	_	-	_	-	-	_	-

Main Ingredients	Content(%)	CAS-No.		Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)
2-(2-butoxyethoxy)ethyl acetate	>98	124-17-4	204-685-9	None	None

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Protection of first-aiders:	No special precautions are necessary for first aid responders.
If inhaled:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact:	Wash with water and soap as a precaution.
In case of eye contact:	Get medical attention if symptoms occur. Flush eyes with water as a precaution.



	Get medical attention if irritation develops and persists.
If swallowed:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
4.2 Most important symptoms and	l effects, both acute and delayed
None known.	
4.3 Indication of any immediate m	edical attention and special treatment needed
Treatment:	Treat symptomatically and supportively
5. FIRE-FIGHTING MEASURE	
5.1 Extinguishing media	
Suitable extinguishing media:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable Extinguishing Me	edia
	None known.
5.2 Special hazards arising from t	he substance or mixture
Specific hazards during fire-fighting:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products:	Carbon oxides
5.3 Advice for firefighters	
for firefighters:	t Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
Specific extinguishing methods:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
6. ACCIDENTAL RELEASE ME	EASURES
	ve equipment and emergency procedures
Personal precautions:	Follow safe handling advice and personal protective equipment recommendations.
6.2 Environmental precautions	
Environmental precautions:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling	
Technical measures:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation:	Use only with adequate ventilation.
Advice on safe handling:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Requirements for storage areas and containers:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage:	Do not store with the following product types: Strong oxidizing agents
7.3 Specific end use(s)	
Specific use(s):	No data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

2-(2-butoxyethoxy)ethyl acetate:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 85 mg/m3 End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 24 mg/kg End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 43 mg/m3 End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 12 mg/kg End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 12 mg/kg
Predicted No Effect Concentrat	ion (PNEC) according to Regulation (EC) No. 1907/2006:
2-(2-butoxyethoxy)ethyl acetate:	Fresh water Value: 0.108 mg/l Marine water Value: 0.0108 mg/l Intermittent use/release Value: 0.6 mg/l Fresh water sediment



Value: 0.8 mg/kg Marine sediment Value: 0.8 mg/kg Soil Value: 0.29 mg/kg Oral Value: 70 mg/kg

8.2 Exposure controls

Engineering measures:	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
Personal protective equipment	nt
Eye protection:	Wear the following personal protective equipment: Safety glasses
Hand protection	
Remarks:	Wash hands before breaks and at the end of workday.
Skin and body protection:	Skin should be washed after contact.
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type:	Organic vapour type (A)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	• •
Appearance:	liquid
Color:	colorless
Odor	solvent-like
Odor Threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	114°C Method: Cleveland open cup
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper explosion limit:	10.7 %(V)
Lower explosion limit:	0.7 %(V) (93 °C)
Vapour pressure:	No data available
Relative vapour density:	No data available
Density:	0.98-1.02g/cm3
Water solubility:	65 g/l partly soluble
Partition coefficient: n-octanol/water:	Not applicable
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity, dynamic:	No data available
Explosive properties:	Not explosive
Oxidizing properties:	The substance is not classified as oxidizing.



9.2 Other information

No data available

10. STABILITY AND REACTIVITY				
10.1 Reactivity				
Not classified as a reactivity hazard	•			
10.2 Chemical stability				
Stable under normal conditions.				
10.3 Possibility of hazardous reactions				
Hazardous reactions: Can re	eact with strong oxidizing agents.			
10.4 Conditions to avoid				
Conditions to avoid: None	known.			
10.5 Incompatible materials				
Materials to avoid: Oxidiz	zing agents			
10.6 Hazardous decomposition products				
No hazardous decomposition produ	icts are known.			
11. TOXICOLOGICAL INFORMATION	N			
11.1 Information on toxicological effects				
Information on likely routes of exposure:	Inhalation, Skin contact, Ingestion, Eye contact			
Acute toxicity:	Not classified based on available information.			
Skin corrosion/irritation:	Not classified based on available information.			
Serious eye damage/eye irritation:	Not classified based on available information.			
Respiratory or skin sensitization:	Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.			
Germ cell mutagenicity:	Not classified based on available information.			
Carcinogenicity	Not classified based on available information.			
Reproductive toxicity	Not classified based on available information.			
STOT - single exposure:	Not classified based on available information.			
STOT - repeated exposure:	Not classified based on available information.			
Aspiration toxicity:	Not classified based on available information.			
12. ECOLOGICAL INFORMATION				
12.1 Toxicity No data available				
12.2 Persistence and degradability				
No data available				
12.3 Bioaccumulative potential				
No data available				
12.4 Mobility in soil				
No data available				
12.5 Results of PBT and vPvB assessment				

- Not relevant
- 12.6 Other adverse effects
 - No data available



13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
Product:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

14.1 UN number Not regulated as a dangerous good14.2 UN proper shipping name

Not regulated as a dangerous good

- 14.3 Transport hazard class(es) Not regulated as a dangerous good
- 14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

- 14.6 Special precautions for user Not applicable
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific	c for the substance or mixture
Regulation (EC) No 649/2012 of the European Parliament and	
the Council concerning the export and import of dangerous	
chemicals:	Not applicable
REACH - Candidate List of Substances of Very High Concern	
for Authorisation (Article 59).:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the	
ozone layer:	Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants:	Not applicable
Seveso II - Directive 2003/105/EC amending Council Directive	
96/82/EC on the control of major-accident hazards involving	Notappliable
dangerous substances:	Not applicable
15.2 Chemical Safety Assessment	

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Further information

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge,



information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

<Wipe cleaning liquid >

2. HAZARDS IDENTIFICATION	
2.1 Classification of the substance or m	ixture
<regulation (ec)="" 1272="" 20<="" no.="" td=""><td>08></td></regulation>	08>
Classification	
Skin irritation, Category 2	H315: Causes skin irritation.
Reproductive toxicity, Category 1B <1999/45/EC >	H360Df: May damage the unborn child. Suspected of damaging fertility.
Toxic to Reproduction Category 1	R61: May cause harm to the unborn child.
Toxic to Reproduction Category 3	R62: Possible risk of impaired fertility.
Irritant	R38: Irritating to skin.
2.2 Label elements	
<regulation (ec)="" 1272="" 20<="" no.="" td=""><td>08></td></regulation>	08>
Hazard pictograms	
Signal word:	Danger
Hazard statements	H315 Causes skin irritation.
	H360Df May damage the unborn child. Suspected of damaging fertility.
Precautionary statements	
Prevention:	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:	P308 + P313 IF exposed or concerned: Get medical ad-vice/ attention.
	P332 + P313 If skin irritation occurs: Get medical advice/ attention.
Hazardous components which m	ust be listed on the label:
	bis(2-(2-methoxyethoxy)ethyl) ether
2.3 Other hazards	

Vapours may form explosive mixture with air.

3. COMPOSITION / INFORMATION ON INGREDIENTS Main Ingredients Content (%) CAS-No. EC-No. Classification (67/548/EEC) Classification (REGULATION



					(EC) No 1272/2008)
bis(2-ethoxyethyl)ether	80-90	112-36-7	203-963-7	Xi; R38	Skin Irrit. 2; H315
bis(2-(2-methoxyethoxy)ethyl) ether	5-15	143-24-8	205-594-7	Repr.Cat.2; R61 Repr.Cat.3; R62	Repr. 1B; H360Df

Other components (listed on EINECS, NLP or ELINCS) are not hazardous according to the directives mentioned above.

4. FIRST-AID MEASURES

4.1 Description of first aid measure	es
General advice:	In the case of accident or if you feel unwell, seek medical ad-vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
If inhaled:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately
If swallowed:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Risks:	Causes skin irritation. May damage the unborn child. Suspected of damaging fertili-ty.
4.3 Indication of any immediate me	edical attention and special treatment needed
Treatment:	Treat symptomatically and supportively

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media		
Suitable extinguishing media:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)	
Unsuitable Extinguishing Media		
	High volume water jet	
5.2 Special hazards arising from the substance or mixture		
Specific hazards during fire-fighting:	Do not use a solid water stream as it may scatter and spread fire.	



	Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products: 5.3 Advice for firefighters	Carbon oxides
·	
for fire-fighters:	t In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing methods:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers/tanks with water spray. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
6. ACCIDENTAL RELEASE ME	ASURES
6.1 Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions:	Remove all sources of ignition.
	Use personal protective equipment.
	Follow safe handling advice and personal protective equipment recommendations.
6.2 Environmental precautions	
Environmental precautions:	Discharge into the environment must be avoided.
·	Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for cont	
Methods for cleaning up:	Non-sparking tools should be used. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
6.4 Reference to other sections	
See sections: 7, 8, 11, 12 ar	nd 13.
7. HANDLING AND STORAGE	
7.1 Precautions for safe handling	
Technical measures:	See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section. Use with local exhaust ventilation.

	OF
	Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling:	Do not get on skin or clothing. Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Requirements for storage areas and containers:	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Advice on common storage:	Do not store with the following product types: Strong oxidizing agents Explosives Gases
7.3 Specific end use(s)	
Specific use(s):	No data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

bis(2-ethoxyethyl)ether:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50.5 mg/m3 End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 3.43 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 5.96 mg/m3 End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 1.71 mg/kg bw/day End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 300 mg/kg bw/day
bis(2-(2-methoxyethoxy)ethyl) ether:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 22 mg/m3



	End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 3 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 0.5 mg/m3 End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 0.001 mg/kg bw/day End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 0.001 mg/kg bw/day
Predicted No Effect Concentration (PNEC)	according to Regulation (EC) No. 1907/2006:
bis(2-(2-methoxyethoxy)ethyl) ether:	Fresh water Value: 32 mg/l Marine water Value: 3.2 mg/l Intermittent use/release Value: 50 mg/l Sewage treatment plant Value: 500 mg/l Fresh water sediment Value: 127 mg/kg Marine sediment Value: 12.7 mg/kg Soil Value: 6.7 mg/kg Oral Value: 8.32 mg/kg
8.2 Exposure controls	5 5
Engineering measures:	Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.
Personal protective equipment	
Eye protection:	Wear the following personal protective equipment: Safety glasses
Hand protection	
Material:	Impervious gloves Flame retardant gloves
Remarks:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing.



	Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type:	Organic vapour type (A)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Appearance:	liquid
	Color:	colorless
	Odor	solvent-like
	Odor Threshold:	No data available
	pH:	No data available
	Melting point/freezing point:	No data available
	Initial boiling point and boiling range:	No data available
	Flash point:	71 °C
		Method: Cleveland open cup
	Evaporation rate:	No data available
	Flammability (solid, gas)	Not applicable
	Upper explosion limit:	No data available
	Lower explosion limit:	No data available
	Vapour pressure:	No data available
	Relative vapour density:	No data available
	Density:	0.9-1.1g/cm3 (25°C)
	Water solubility:	soluble
	Solubility in other solvents	soluble Solvent: organic solvents
	Partition coefficient: n-octanol/water:	Not applicable
	Auto-ignition temperature:	No data available
	Thermal decomposition:	No data available
	Viscosity, dynamic:	5 - 15 mPa.s (25 °C)
	Explosive properties:	Not explosive
	Oxidizing properties:	The substance or mixture is not classified as oxidizing.
9.2 (Other information	

9.2 Other information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions:

Combustible liquid.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid



Can react with strong oxidizing agents.

- Conditions to avoid: Heat, flames and sparks.
- 10.5 Incompatible materials Materials to avoid: Oxidizing agents

10.6 Hazardous decomposition products No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION			
11.1 Information on toxicological effects			
Information on likely routes of exposure:	Inhalation Skin contact Ingestion Eye contact		
Acute toxicity:	Not classified based on available information.		
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>			
Acute oral toxicity:	LD50 (Rat): 4,970 mg/kg		
<bis(2-(2-methoxyethoxy)etherapy (2-(2-methoxy)etherapy))<="" td=""><td>nyl) ethere></td></bis(2-(2-methoxyethoxy)etherapy>	nyl) ethere>		
Acute oral toxicity:	LD50 (Rat): 3,850 mg/kg		
Acute dermal toxicity:	LD50 (Rat): > 6,900 mg/kg Remarks: Based on data from similar materials		
Skin corrosion/irritation:	Causes skin irritation.		
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>			
Result:	Skin irritation		
Remarks:	Based on data from similar materials		
 bis(2-(2-methoxyethoxy)ether 	nyl) ether>		
Species:	Rabbit		
Method:	OECD Test Guideline 404		
Result:	No skin irritation		
Serious eye damage/eye irritation	:		
	Not classified based on available information.		
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>			
Species:	Rabbit		
Method:	OECD Test Guideline 405		
Result:	No eye irritation		
Species:	Rabbit		
Method:	OECD Test Guideline 405		
Result:	No eye irritation		
Respiratory or skin sensitisation			
Skin sensitization:	Not classified based on available information.		
Respiratory sensitisation:	Not classified based on available information.		
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>			
Test Type:	Local lymph node assay (LLNA)		
Exposure routes:	Skin contact		



Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Remarks:	Based on data from similar materials
<bis(2-(2-methoxyethoxy)etherapy (2-(2-methoxy)etherapy))<="" td=""><td>nyl) ether></td></bis(2-(2-methoxyethoxy)etherapy>	nyl) ether>
Test Type:	Local lymph node assay (LLNA)
Exposure routes:	Skin contact
Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Remarks:	Based on data from similar materials
Germ cell mutagenicity	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Remarks: Based on data from similar materials
sis(2-(2-methoxyethoxy)ethyl) et Genotoxicity in vitro	tner> Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Carcinogenicity	Not classified based on available information.
Reproductive toxicity	May damage the unborn child. Suspected of damaging fertility.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Effects on fertility	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal	Remarks: Based on data from similar materials
development	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion
<bis(2-(2-methoxyethoxy)etherapy (2-(2-methoxy)etherapy))<="" td=""><td>Result: negative</td></bis(2-(2-methoxyethoxy)etherapy>	Result: negative
Effects on fertility	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: positive
Effects on foetal development	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
Reproductive toxicity - Assessment	Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.
STOT - single exposure:	Not classified based on available information.
STOT - single exposure.	
STOT - repeated exposure:	Not classified based on available information.



<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Species:	Rat
NOAEL:	2.49 mg/l
Application Route:	inhalation (dust/mist/fume)
Exposure time:	4 w
Method:	OECD Test Guideline 412
<bis(2-(2-methoxyethoxy)eth< td=""><td>nyl) ether></td></bis(2-(2-methoxyethoxy)eth<>	nyl) ether>
Species:	Rat
NOAEL:	250 mg/kg
Application Route:	Ingestion
Exposure time:	28 d
Method:	OECD Test Guideline 407
Remarks:	Based on data from similar materials
Aspiration toxicity:	Not classified based on available information.

12. ECOLOGICAL INFORMATION

12. LOOLOGICAL INI ONINATION	
12.1 Toxicity	
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Toxicity to fish:	LC50 : > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates:	LC50 : 6,600 mg/l Exposure time: 96 h
Toxicity to bacteria:	NOEC : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other	EC10: 7.38 mg/l
aquatic invertebrates	Exposure time: 7 d
(Chronic toxicity):	Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials
this (2 (2 mothewy othewy) athyl) ather	
Toxicity to fish:	LC50 (Danio rerio (zebra fish)): > 5,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates:	EC50 (Daphnia magna (Water flea)): 7,467 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2,814 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria:	EC10 : >= 5,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates : (Chronic toxicity)	NOEC: 320 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
12.2 Persistence and degradability	

<Bis(2-ethoxyethyl) ether>



Biodegradability:	Result: Not readily biodegradable.
	Biodegradation: 0 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301F

<bis(2-(2-methoxyethoxy)ethyl) ether>
Biodegradability:

Result: Inherently biodegradable. Biodegradation: > 70 % Exposure time: 28 d Method: OECD Test Guideline 302B Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

<Bis(2-ethoxyethyl) ether>

Partition coefficient: n-octanol/water: log Pow: 0.39

<bis(2-(2-methoxyethoxy)ethyl) ether>

Partition coefficient: n-octanol/water: log Pow: -0.84

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
Product:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

- 14.2 UN proper shipping name Not regulated as a dangerous good
- 14.3 Transport hazard class(es)

Not regulated as a dangerous good

- 14.4 Packing group Not regulated as a dangerous good
- 14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) .: Not applicable Regulation (EC) No 1005/2009 on substances that deplete the Not applicable ozone layer: Regulation (EC) No 850/2004 on persistent organic pollutants: Not applicable Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving Not applicable dangerous substances: Other regulations: Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Full text of R-Phrases

R38:Irritating to skin.

R61:May cause harm to the unborn child.

R62:Possible risk of impaired fertility.

Full text of H-Statements

H315:Causes skin irritation.

H360Df:May damage the unborn child. Suspected of damaging fertili-ty.

Full text of other abbreviations

Repr.: Reproductive toxicity

Skin Irrit.: Skin irritation

Further information

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.