

SAFETY DATA SHEET

Ink cartridge (Magenta)

IP5-202

OKI DATA INFOTECH CORPORATION



Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier Product Name : Ink cartridge(Magenta) Product Code : IP5-202		
1.2 Relevant identified uses of the substance or mixture and uses advised against		
	nkjet Ink	
1.3 Details of the supplier of the safet	-	
	KI Data Infotech Corporation	
56	3, Takatsuka-Shinden, Matsudo-shi, Chiba, 270-2222,Japan	
Те	l:+81-47-391-2349	
Distributor: Of	KI Europe Ltd. Wide Format Division	
Si	emensstrase 9, D-63263 Neu-Isenburg	
Ge	ermany	
+4	9 (0) 6102 297 400	
2. HAZARDS IDENTIFICATION		
2.1 Classification of the substance or	mixture	
<regulation (ec)="" 1272="" 2<="" no.="" td=""><td>2008></td></regulation>	2008>	
Classification		
Skin irritation, Category 2	H315: Causes skin irritation.	
Reproductive toxicity,	H360Df: May damage the unborn child. Suspected of	
Category 1B	damaging fertility.	
<1999/45/EC >	1 DG1: May acuse harm to the unharm child	
Toxic to Reproduction Category	-	
Irritant	R38: Irritating to skin.	
2.2 Label elements	Noo. Initiating to skin.	
<regulation (ec)="" 1272="" 2<="" no.="" td=""><td>2008></td></regulation>	2008>	
Hazard pictograms		
Signal word:	Danger	
Hazard statements	H315 Causes skin irritation.	
	H360Df May damage the unborn child. Suspected of damaging fertility.	
Precautionary statements		
Prevention:	P201 Obtain special instructions before use.	
	P202 Do not handle until all safety precautions have been read and understood.	
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.	
Response:	P308 + P313 IF exposed or concerned: Get medical ad-vice/ attention.	
	P332 + P313 If skin irritation occurs: Get medical advice/ attention.	



Hazardous components which must be listed on the label:

bis(2-(2-methoxyethoxy)ethyl) ether

2.3 Other hazards

Vapours may form explosive mixture with air.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Main Ingredients	Content (%)	CAS-No.	EC-No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)
bis(2-ethoxyethyl)ether	70-80	112-36-7	203-963-7	Xi; R38	Skin Irrit. 2; H315
bis(2-(2-methoxyethoxy)ethyl) ether	5-15	143-24-8	205-594-7	Repr.Cat.2; R61 Repr.Cat.3; R62	Repr. 1B; H360Df
Other components (listed on EINECS, NLP or ELINCS) are not hazardous according to the					

directives mentioned above.

4. FIRST-AID MEASURES

4.1 Description of first aid measures

In the case of accident or if you feel unwell, seek medical ad-vice immediately. When symptoms persist or in all cases of doubt seek medical advice.			
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.			
If inhaled, remove to fresh air. Get medical attention if symptoms occur.			
In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Thoroughly clean shoes before reuse.			
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately			
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and effects, both acute and delayed			
Causes skin irritation. May damage the unborn child. Suspected of damaging fertili-ty.			
4.3 Indication of any immediate medical attention and special treatment needed			
Treat symptomatically and supportively			

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media	
Suitable extinguishing media:	Water spray Alcohol-resistant foam



Dry chemical Carbon dioxide (CO2)

Unsuitable Extinguishing Media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products:	Carbon oxides
5.3 Advice for firefighters	
Special protective equipment for fire-fighters:	t In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing methods:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers/tanks with water spray. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
6.2 Environmental precautions	
Environmental precautions:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up:	Non-sparking tools should be used. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Suppress (knock down) gases/vapours/mists with a water

spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections



See sections: 7, 8, 11, 12 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling		
Technical measures:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation:	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.	
Advice on safe handling:	Do not get on skin or clothing. Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.	
Hygiene measures:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.	
7.2 Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers:	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.	
Advice on common storage:	Do not store with the following product types: Strong oxidizing agents Explosives Gases	
7.3 Specific end use(s)		
Specific use(s):	No data available	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

bis(2-ethoxyethyl)ether: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50.5 mg/m3 End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 3.43 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 5.96 mg/m3 End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 1.71 mg/kg bw/day



	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 300 mg/kg bw/day
bis(2-(2-methoxyethoxy)ethyl) ether:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 22 mg/m3
	End Use: Workers
	Exposure routes: Skin contact Potential health effects: Long-term systemic effects
	Value: 3 mg/kg bw/day
	End Use: Consumers Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 0.5 mg/m3 End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects Value: 0.001 mg/kg bw/day
	End Use: Consumers Exposure routes: Ingestion
	Potential health effects: Long-term systemic effects
Predicted No Effect Concentration (PNEC)	Value: 0.001 mg/kg bw/day according to Regulation (EC) No. 1907/2006:
bis(2-(2-methoxyethoxy)ethyl) ether:	Fresh water
	Value: 32 mg/l
	Marine water Value: 3.2 mg/l
	Intermittent use/release
	Value: 50 mg/l Sewage treatment plant
	Value: 500 mg/l
	Fresh water sediment Value: 127 mg/kg
	Marine sediment
	Value: 12.7 mg/kg Soil
	Value: 6.7 mg/kg
	Oral Value: 8.32 mg/kg
8.2 Exposure controls	
Engineering measures:	Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.
	Use with local exhaust ventilation.
Personal protective equipment	Magnethe fellowing a personal protoction and income
Eye protection:	Wear the following personal protective equipment: Safety glasses
Hand protection	
Material:	Impervious gloves Flame retardant gloves
Remarks:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to



	chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type:	Organic vapour type (A)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

		• •
	Appearance:	liquid
	Color:	red
	Odor	solvent-like
	Odor Threshold:	No data available
	pH:	No data available
	Melting point/freezing point:	No data available
	Initial boiling point and boiling range:	No data available
	Flash point:	71 °C
		Method: Cleveland open cup
	Evaporation rate:	No data available
	Flammability (solid, gas)	Not applicable
	Upper explosion limit:	No data available
	Lower explosion limit:	No data available
	Vapour pressure:	No data available
	Relative vapour density:	No data available
	Density:	0.9-1.1g/cm3 (25°C)
	Water solubility:	soluble
	Solubility in other solvents	soluble Solvent: organic solvents
	Partition coefficient: n-octanol/water:	Not applicable
	Auto-ignition temperature:	No data available
	Thermal decomposition:	No data available
	Viscosity, dynamic:	5 - 15 mPa.s (25 °C)
	Explosive properties:	Not explosive
	Oxidizing properties:	The substance or mixture is not classified as oxidizing.
9.2 0	Other information	

No data available

10. STABILITY AND REACTIVITY 10.1 Reactivity



Not classified as a reactivity hazard.

Not classified as a reactivity	nazaro.
10.2 Chemical stability	
Stable under normal condition	ns.
10.3 Possibility of hazardous read	tions
Hazardous reactions:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid:	Heat, flames and sparks.
10.5 Incompatible materials	
Materials to avoid:	Oxidizing agents
10.6 Hazardous decomposition pr	oducts
No hazardous decomposition	n products are known.
11. TOXICOLOGICAL INFORM	IATION
11.1 Information on toxicological e	effects
Information on likely routes	Inhalation
of exposure:	Skin contact Ingestion
	Eye contact
Acute toxicity:	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Acute oral toxicity:	LD50 (Rat): 4,970 mg/kg
<bis(2-(2-methoxyethoxy)eth< td=""><td>nyl) ethere></td></bis(2-(2-methoxyethoxy)eth<>	nyl) ethere>
Acute oral toxicity:	LD50 (Rat): 3,850 mg/kg
Acute dermal toxicity:	LD50 (Rat): > 6,900 mg/kg Remarks: Based on data from similar materials
Skin corrosion/irritation:	Causes skin irritation.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Result:	Skin irritation
Remarks:	Based on data from similar materials
 bis(2-(2-methoxyethoxy)eth	nyl) ether>
Species:	Rabbit
Method:	OECD Test Guideline 404
Result:	No skin irritation
Serious eye damage/eye irritation	
	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Species:	Rabbit
Method:	OECD Test Guideline 405
Result:	No eye irritation
<bis(2-(2-methoxyethoxy)eth< td=""><td></td></bis(2-(2-methoxyethoxy)eth<>	
Species:	Rabbit
Method:	OECD Test Guideline 405
Result:	No eye irritation
Respiratory or skin sensitisation	



Skin sensitization:	Not classified based on available information.
Respiratory sensitisation:	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Test Type:	Local lymph node assay (LLNA)
Exposure routes:	Skin contact
Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Remarks:	Based on data from similar materials
<bis(2-(2-methoxyethoxy)etherapy (2-methoxy)et<="" (2-methoxy)etherapy="" td=""><td>nyl) ether></td></bis(2-(2-methoxyethoxy)etherapy>	nyl) ether>
Test Type:	Local lymph node assay (LLNA)
Exposure routes:	Skin contact
Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Remarks:	Based on data from similar materials
Germ cell mutagenicity	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
<bis(2-(2-methoxyethoxy)ethyl) et<="" td=""><td></td></bis(2-(2-methoxyethoxy)ethyl)>	
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Carcinogenicity	Not classified based on available information.
Reproductive toxicity	May damage the unborn child. Suspected of damaging fertility.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Effects on fertility	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal	Test Type: Embryo-foetal development
development	Species: Rabbit Application Route: Ingestion Result: negative
<bis(2-(2-methoxyethoxy)eth< td=""><td>•</td></bis(2-(2-methoxyethoxy)eth<>	•
Effects on fertility	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: positive
Effects on foetal development	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
Reproductive toxicity - Assessment	Clear evidence of adverse effects on development, based on animal experiments., Some evidence of



	adverse effects on sexual function and fertility, based on animal experiments.	
STOT - single exposure:	Not classified based on available information.	
STOT - repeated exposure:	Not classified based on available information.	
Repeated dose toxicity		
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>		
Species:	Rat	
NOAEL:	2.49 mg/l	
Application Route:	inhalation (dust/mist/fume)	
Exposure time:	4 w	
Method:	OECD Test Guideline 412	
Species:	Rat	
NOAEL:	250 mg/kg	
Application Route:	Ingestion	
Exposure time:	28 d	
Method:	OECD Test Guideline 407	
Remarks:	Based on data from similar materials	
Aspiration toxicity:	Not classified based on available information.	

12. ECOLOGICAL INFORMATION

12.1 Toxicity

<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>		
Toxicity to fish:	LC50 : > 10,000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates:	LC50 : 6,600 mg/l Exposure time: 96 h	
Toxicity to bacteria:	NOEC : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):	EC10: 7.38 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials	
<bis(2-(2-methoxyethoxy)ethyl) ether=""></bis(2-(2-methoxyethoxy)ethyl)>		
Toxicity to fish:	LC50 (Danio rerio (zebra fish)): > 5,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials	
Toxicity to daphnia and other aquatic invertebrates:	EC50 (Daphnia magna (Water flea)): 7,467 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxicity to algae:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2,814 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
Toxicity to bacteria:	EC10 : >= 5,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials	



Toxicity to daphnia and othe aquatic invertebrates : (Chronic toxicity)	er NOEC: 320 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211			
12.2 Persistence and degradability	/			
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>				
Biodegradability:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F			
<bis(2-(2-methoxyethoxy)ethyl) eth<="" td=""><td>her></td></bis(2-(2-methoxyethoxy)ethyl)>	her>			
Biodegradability:	Result: Inherently biodegradable. Biodegradation: > 70 % Exposure time: 28 d Method: OECD Test Guideline 302B Remarks: Based on data from similar materials			
12.3 Bioaccumulative potential				
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>				
Partition coefficient: n-octar	nol/water: log Pow: 0.39			
<bis(2-(2-methoxyethoxy)eth< td=""><td>yl) ether></td></bis(2-(2-methoxyethoxy)eth<>	yl) ether>			
Partition coefficient: n-octar	nol/water: log Pow: -0.84			
12.4 Mobility in soil				
No data available				
12.5 Results of PBT and vPvB ass	sessment			
Not relevant				
12.6 Other adverse effects				
No data available				
13. DISPOSAL CONSIDERATIONS				
13.1 Waste treatment methods	5113			
Product:	Dispose of in accordance with local regulations.			
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.			
Contaminated packaging:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.			

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

- 14.2 UN proper shipping name Not regulated as a dangerous good
- 14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards



Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous				
chemicals:	5 1 1 5	Not applicable		
REACH - Candidate List of Substances of Very High Concern				
for Authorisation (Article 59).:		Not applicable		
Regulation (EC) No 1005/2009 on substances that deplete the				
ozone layer:		Not applicable		
Regulation (EC) No 850/2004 on persistent organic pollutants: Not applicable				
Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving				
dangerous substances:		Not applicable		
Other regulations:	Take note of Dir 94/33/EC on the prote Take note of Dir 92/85/EEC on the saf pregnant workers.			
15.2 Chemical Safety Assessment				

5.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Full text of R-Phrases

R38:Irritating to skin.

R61:May cause harm to the unborn child.

R62:Possible risk of impaired fertility.

Full text of H-Statements

H315:Causes skin irritation.

H360Df:May damage the unborn child. Suspected of damaging fertili-ty.

Full text of other abbreviations

Repr.: Reproductive toxicity

Skin Irrit.: Skin irritation

Further information

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's



