

Toner Powder (Cartridge) for ES9465MFP Series ES9475MFP Series

OKI DATA CORPORATION

Date of Issue: 11 April 2016 Page 1 of 29



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Black toner powder (cartridge) for

ES9465MFP Series ES9475MFP Series

(Toner powder name: T-FC50E-K)

Product description: Black Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier:

Australia : Oki Data (Australia) Pty Ltd.

Level 1, 67 Epping Road • Macquarie Park NSW 2113

Australia

Tel: 1800 800 140

e-mail: aus-MSDSQuestions@oki.com

Singapore : Oki Data (Singapore) Pte Ltd

438A Alexandra Road #02-11/12, Lift Lobby 3, Alexandra Technopark, Singapore 119967,

Tel: +65 6221 3722

e-mail: odsp-sales@oki.com

1.4 Emergency telephone number

## SECTION 2: Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

**HEALTH HAZARDS** 

Acute toxicity Oral:

Acute toxicity Inhalation:

Skin corrosion/irritation:

Eye damage/eye irritation:

Out of class

**ENVIRONMENT HAZARDS** 

Hazardous to the aquatic environment - acute hazard: Out of class

(Note)

GHS classification without description: Not applicable/Out of classification/Not classifiable

Date of Issue: 11 April 2016 Page 2 of 29



## SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

Ingredient name	Content(%)	CAS No.
Polyester resin	80 -89	TRADE SECRET
Carbon black	4-7	1333-86-4
Wax	4-7	TRADE SECRET
Amorphous silica	3-6	7631-86-9
Titanium dioxide	0.1-0.9	13463-67-7

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of

distress.

Skin Contact: Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion: Dilute stomach contents with several glasses of water.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media: None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear cold insulating gloves/face shield/eye protection.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into shower or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Date of Issue: 11 April 2016 Page 3 of 29



## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

Exhaust/ventilator

No special ventilation equipment is needed under intended use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommendation for storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

#### 7.3 Specific end use(s)

Toner for electrophotographic equipment

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**ACGIH** 

(Carbon black)

ACGIH(2010) TWA: 3mg/m3(I)

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

OSHA-PEL

(Titanium dioxide) TWA 15mg/m3 (Carbon black)

TWA 3.5mg/m3 (as the product)

TWA 15mg/m3(Total dust)

TWA 5mg/m3(Respirable fraction)

DMG-MAK

(as the product)

4mg/m3(Inhalable fraction)

1.5mg/m3(Respirable fraction)

## 8.2 Exposure controls

Individual protection measures

Respiratory protection:

Hand protection:

Eye protection:

Not required under intended use.

Date of Issue: 11 April 2016 Page 4 of 29



## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical properties

Appearance: Powder/granule

Color: Black Odor: None

Phase change temperature

Melting point/Freezing point: 110-150(Softening point)

Auto-ignition temperature data N.A.

Specific gravity/Density: 1.1-1.5g/cm3

Solubility

Solubility in water: Insoluble

9.2 Other information

**Explosive Properties** 

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

## SECTION 10: Stability and reactivity

10.2 Chemical stability: Stable.
10.3 Possibility of hazardous reactions: None.
10.5 Incompatible materials: None.
10.6 Hazardous decomposition products: None.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD50 > 2,000 mg/kg

(This was the highest attainable mass.)

Acute toxicity (Gases inhalation), Product

LC50 >5.05mg/I

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Mildly irritating.

Serious eye damage /irritation

Minimal irritating.

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test: Negative

Carcinogenicity

(Carbon black)

The IARC classified carbon black as a Group 2B carcinogen(possible human carcinogen). But carcinogenicity was not observed with toner containing carbon black in chronic rat inhalaration study.

Date of Issue: 11 April 2016



(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human carcinogen).

In animal chronic inhalation studies, carcinogenicity was observed in only specific rats. This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

**Chronic Effects** 

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3)exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. These findings are attributed to "lung overloading", a genera response to excessive amounts of any dust retained in the lungs for a prolonged period.

No Aspiration hazard data available

## SECTION 12: Ecological information

#### 12.1 Toxicity:

Aquatic toxicity

LC50 is greater than 100mg/L (fish)

EC50 is greater than 100mg/L (daphnia)

EC50 is greater than 100mg/L (Algae)

No Persistence and degradability data available

No Bioaccumulative potential data available

No Mobility in soil data available

Ozone depleting chemical data not available

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of in accordance with local, state and federal regulations.

Empty plastic container may be recycled.

## SECTION 14: Transport information

UN No, UN CLASS

Not applicable to UN NO.

Land DOT 49 CFR,ADR:

Sea IMDG Code:

Air ICAO-TI:

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Date of Issue: 11 April 2016 Page 6 of 29



## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US/Canada Information

Toxic Substance Control Act (TSCA)

All chemical substances in this product comply with all applicable rules or orders under TSCA.

California Proposition 65

Not regulated.

OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.

RCRA(40 CFR 261)

Product or components not listed.

CERCLA/SARA Information

Not regulated.

NTP Annual Report on Carcinogens

Not listed as an NTP carcinogen.

#### Controlled Products Regulations (Canada)

This product has been classified in accordance with the hazard criteria of the CPR.

Workplace Hazardous Materials Information System (Canada)

No toxicology information available.

#### **EU Information**

Regulation(EC)No.1907/2006(REACH)

All chemical substances in this product comply with all applicable rules or order under 1907/2006.

#### Australian Information

Not classified as hazardous according to criteria of NOHSC

The substance is being imported or manufactured under a permit granted under section 21U of the Industrial Chemicals (Notification and Assessment)Act 1989

Date of Issue: 11 April 2016 Page 7 of 29



## SECTION 16: Other information

#### Reference Book

Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012) 2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2014 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats

H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats

B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

#### **Definitions and Abbreviations**

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)

ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)

DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche

Forschungsgemeinschaft

TWA stands for Time Weighted Average

IARC stands for International Agency for Research on Cancer

NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)

NOHSC stands for National Occupational Health and Safety Commission (Australia)

ADG stands for Australian Dangerous Goods

#### Restrictions

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Date of Issue: 11 April 2016 Page 8 of 29



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Yellow toner powder (cartridge) for

ES9465MFP Series ES9475MFP Series

(Toner powder name: T-FC50E-Y)

Product description: Yellow Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier:

Australia : Oki Data (Australia) Pty Ltd.

Level 1, 67 Epping Road • Macquarie Park NSW 2113

Australia

Tel: 1800 800 140

e-mail: aus-MSDSQuestions@oki.com

Singapore : Oki Data (Singapore) Pte Ltd

438A Alexandra Road #02-11/12, Lift Lobby 3, Alexandra Technopark, Singapore 119967,

Tel: +65 6221 3722

e-mail: odsp-sales@oki.com

1.4 Emergency telephone number

-

## SECTION 2: Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

**HEALTH HAZARDS** 

Acute toxicity Oral:

Acute toxicity Inhalation:

Skin corrosion/irritation:

Eye damage/eye irritation:

Out of class

**ENVIRONMENT HAZARDS** 

Hazardous to the aquatic environment - acute hazard: Out of class

(Note)

GHS classification without description: Not applicable/Out of classification/Not classifiable

Date of Issue: 11 April 2016 Page 9 of 29



## SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

Ingredient name	Content(%)	CAS No.
Polyester resin	78-87	TRADE SECRET
Organic Pigment	6-9	TRADE SECRET
Wax	4-7	TRADE SECRET
Amorphous silica	3-6	7631-86-9
Titanium dioxide	0.1-0.9	13463-67-7

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of

distress.

Skin Contact: Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion: Dilute stomach contents with several glasses of water.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media: None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear cold insulating gloves/face shield/eye protection.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into shower or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Date of Issue: 11 April 2016 Page 10 of 29



# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

Exhaust/ventilator

No special ventilation equipment is needed under intended use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommendation for storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

#### 7.3 Specific end use(s)

Toner for electrophotographic equipment

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**ACGIH** 

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

**OSHA-PEL** 

(Titanium dioxide) TWA 15mg/m3 (as the product)

TWA 15mg/m3(Total dust) 5mg/m3(Respirable fraction)

DMG-MAK

(as the product)

4mg/m3(Inhalable fraction)
1.5mg/m3(Respirable fraction)

#### 8.2 Exposure controls

Individual protection measures

Respiratory protection:

Hand protection:

Eye protection:

Not required under intended use.

Date of Issue: 11 April 2016 Page 11 of 29



## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical properties

Appearance: Powder/granule

Color: Yellow Odor: None

Phase change temperature

Melting point/Freezing point: 110-150(Softening point)

Auto-ignition temperature data N.A.

Specific gravity/Density: 1.1-1.5g/cm3

Solubility

Solubility in water: Insoluble

9.2 Other information

**Explosive Properties** 

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

## SECTION 10: Stability and reactivity

10.2 Chemical stability: Stable.
10.3 Possibility of hazardous reactions: None.
10.5 Incompatible materials: None.
10.6 Hazardous decomposition products: None.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD50 > 2,000 mg/kg

(This was the highest attainable mass.)

Acute toxicity (Gases inhalation), Product

LC50 >5.06mg/l

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Mildly irritating.

Serious eye damage /irritation

Minimal irritating.

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test: Negative

Carcinogenicity

(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human

carcinogen).

In animal chronic inhalation studies, carcinogenicity was observed in only specific rats.

Date of Issue: 11 April 2016 Page 12 of 29



This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

**Chronic Effects** 

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3)exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. These findings are attributed to "lung overloading", a genera response to excessive amounts of any dust retained in the lungs for a prolonged period.

No Aspiration hazard data available

## SECTION 12: Ecological information

#### 12.1 Toxicity:

Aquatic toxicity

LC50 is greater than 100mg/L (fish)

EC50 is greater than 100mg/L (daphnia)

EC50 is greater than 100mg/L (Algae)

No Persistence and degradability data available

No Bioaccumulative potential data available

No Mobility in soil data available

Ozone depleting chemical data not available

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of in accordance with local, state and federal regulations.

Empty plastic container may be recycled.

# SECTION 14: Transport information

UN No, UN CLASS

Not applicable to UN NO.

Land DOT 49 CFR,ADR:

Sea IMDG Code:

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Date of Issue: 11 April 2016 Page 13 of 29



## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US/Canada Information

Toxic Substance Control Act (TSCA)

All chemical substances in this product comply with all applicable rules or orders under TSCA.

California Proposition 65

Not regulated.

OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.

RCRA(40 CFR 261)

Product or components not listed.

CERCLA/SARA Information

Not regulated.

NTP Annual Report on Carcinogens

Not listed as an NTP carcinogen.

#### Controlled Products Regulations (Canada)

This product has been classified in accordance with the hazard criteria of the CPR.

Workplace Hazardous Materials Information System (Canada)

No toxicology information available.

#### **EU Information**

Regulation(EC)No.1907/2006(REACH)

All chemical substances in this product comply with all applicable rules or order under 1907/2006.

#### Australian Information

Not classified as hazardous according to criteria of NOHSC

The substance is being imported or manufactured under a permit granted under section 21U of the Industrial Chemicals (Notification and Assessment)Act 1989

Date of Issue: 11 April 2016 Page 14 of 29



## SAFFTY DATA SHFFT

## SECTION 16: Other information

#### Reference Book

Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012) 2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2014 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats

H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats

B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

#### **Definitions and Abbreviations**

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)

ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)

DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche

Forschungsgemeinschaft

TWA stands for Time Weighted Average

IARC stands for International Agency for Research on Cancer

NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)

NOHSC stands for National Occupational Health and Safety Commission (Australia)

ADG stands for Australian Dangerous Goods

#### Restrictions

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Date of Issue: 11 April 2016 Page 15 of 29



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Magenta toner powder (cartridge) for

ES9465MFP Series ES9475MFP Series

(Toner powder name: T-FC50E-M)

Product description: Magenta Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier:

Australia : Oki Data (Australia) Pty Ltd.

Level 1, 67 Epping Road • Macquarie Park NSW 2113

Australia

Tel: 1800 800 140

e-mail: aus-MSDSQuestions@oki.com

Singapore : Oki Data (Singapore) Pte Ltd

438A Alexandra Road #02-11/12, Lift Lobby 3, Alexandra Technopark, Singapore 119967,

Tel: +65 6221 3722

e-mail: odsp-sales@oki.com

1.4 Emergency telephone number

-

## SECTION 2: Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

**HEALTH HAZARDS** 

Acute toxicity Oral:

Acute toxicity Inhalation:

Skin corrosion/irritation:

Eye damage/eye irritation:

Out of class

**ENVIRONMENT HAZARDS** 

Hazardous to the aquatic environment - acute hazard: Out of class

(Note)

GHS classification without description: Not applicable/Out of classification/Not classifiable

Date of Issue: 11 April 2016 Page 16 of 29



## SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

Ingredient name	Content(%)	CAS No.
Polyester resin	78-87	TRADE SECRET
Organic Pigment	6-9	TRADE SECRET
Wax	4-7	TRADE SECRET
Amorphous silica	3-6	7631-86-9
Titanium dioxide	0.1-0.9	13463-67-7

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of

distress.

Skin Contact: Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion: Dilute stomach contents with several glasses of water.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media: None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear cold insulating gloves/face shield/eye protection.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into shower or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Date of Issue: 11 April 2016 Page 17 of 29



# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

Exhaust/ventilator

No special ventilation equipment is needed under intended use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommendation for storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

#### 7.3 Specific end use(s)

Toner for electrophotographic equipment

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**ACGIH** 

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

**OSHA-PEL** 

(Titanium dioxide) TWA 15mg/m3 (as the product)

TWA 15mg/m3(Total dust) 5mg/m3(Respirable fraction)

DMG-MAK

(as the product)

4mg/m3(Inhalable fraction)
1.5mg/m3(Respirable fraction)

#### 8.2 Exposure controls

Individual protection measures

Respiratory protection:
Hand protection:
Not required under intended use.
Eye protection:
Not required under intended use.

Date of Issue: 11 April 2016 Page 18 of 29



## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical properties

Appearance: Powder/granule

Color: Magenta Odor: None

Phase change temperature

Melting point/Freezing point: 110-150(Softening point)

Auto-ignition temperature data N.A.

Specific gravity/Density: 1.1-1.5g/cm3

Solubility

Solubility in water: Insoluble

9.2 Other information

**Explosive Properties** 

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

## SECTION 10: Stability and reactivity

10.2 Chemical stability: Stable.
10.3 Possibility of hazardous reactions: None.
10.5 Incompatible materials: None.
10.6 Hazardous decomposition products: None.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD50 > 2,000 mg/kg

(This was the highest attainable mass.)

Acute toxicity (Gases inhalation), Product

LC50 >5.04mg/l

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Mildly irritating.

Serious eye damage /irritation

Minimal irritating.

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test: Negative

Carcinogenicity

(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human

carcinogen).

In animal chronic inhalation studies, carcinogenicity was observed in only specific rats.

Date of Issue: 11 April 2016 Page 19 of 29



## SAFFTY DATA SHFFT

This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

**Chronic Effects** 

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3)exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. These findings are attributed to "lung overloading", a genera response to excessive amounts of any dust retained in the lungs for a prolonged period.

No Aspiration hazard data available

## SECTION 12: Ecological information

#### 12.1 Toxicity:

Aquatic toxicity

LC50 is greater than 100mg/L (fish)

EC50 is greater than 100mg/L (daphnia)

EC50 is greater than 100mg/L (Algae)

No Persistence and degradability data available

No Bioaccumulative potential data available

No Mobility in soil data available

Ozone depleting chemical data not available

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of in accordance with local, state and federal regulations.

Empty plastic container may be recycled.

# SECTION 14: Transport information

UN No, UN CLASS

Not applicable to UN NO.

Land DOT 49 CFR,ADR:

Sea IMDG Code:

Air ICAO-TI:

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Date of Issue: 11 April 2016 Page 20 of 29



## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US/Canada Information

Toxic Substance Control Act (TSCA)

All chemical substances in this product comply with all applicable rules or orders under TSCA.

California Proposition 65

Not regulated.

OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.

RCRA(40 CFR 261)

Product or components not listed.

CERCLA/SARA Information

Not regulated.

NTP Annual Report on Carcinogens

Not listed as an NTP carcinogen.

#### Controlled Products Regulations (Canada)

This product has been classified in accordance with the hazard criteria of the CPR.

Workplace Hazardous Materials Information System (Canada)

No toxicology information available.

#### **EU Information**

Regulation(EC)No.1907/2006(REACH)

All chemical substances in this product comply with all applicable rules or order under 1907/2006.

#### Australian Information

Not classified as hazardous according to criteria of NOHSC

The substance is being imported or manufactured under a permit granted under section 21U of the Industrial Chemicals (Notification and Assessment)Act 1989

Date of Issue: 11 April 2016 Page 21 of 29



## SECTION 16: Other information

#### Reference Book

Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012) 2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2014 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats

H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats

B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

#### **Definitions and Abbreviations**

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)

ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)

DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche

Forschungsgemeinschaft

TWA stands for Time Weighted Average

IARC stands for International Agency for Research on Cancer

NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)

NOHSC stands for National Occupational Health and Safety Commission (Australia)

ADG stands for Australian Dangerous Goods

#### Restrictions

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Date of Issue: 11 April 2016 Page 22 of 29



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Cyan toner powder (cartridge) for

ES9465MFP Series ES9475MFP Series

(Toner powder name: T-FC50E-C)

Product description: Cyan Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses: For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier:

Australia : Oki Data (Australia) Pty Ltd.

Level 1, 67 Epping Road • Macquarie Park NSW 2113

Australia

Tel: 1800 800 140

e-mail: aus-MSDSQuestions@oki.com

Singapore : Oki Data (Singapore) Pte Ltd

438A Alexandra Road #02-11/12, Lift Lobby 3, Alexandra Technopark, Singapore 119967,

Tel: +65 6221 3722

e-mail: odsp-sales@oki.com

1.4 Emergency telephone number

-

## SECTION 2: Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

**HEALTH HAZARDS** 

Acute toxicity Oral:

Acute toxicity Inhalation:

Skin corrosion/irritation:

Eye damage/eye irritation:

Out of class

**ENVIRONMENT HAZARDS** 

Hazardous to the aquatic environment - acute hazard: Out of class

(Note)

GHS classification without description: Not applicable/Out of classification/Not classifiable

Date of Issue: 11 April 2016 Page 23 of 29



## SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

Ingredient name	Content(%)	CAS No.
Polyester resin	81-90	TRADE SECRET
Organic Pigment	3-6	TRADE SECRET
Wax	4-7	TRADE SECRET
Amorphous silica	3-6	7631-86-9
Titanium dioxide	0.1-0.9	13463-67-7

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of

distress.

Skin Contact: Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion: Dilute stomach contents with several glasses of water.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media: None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear cold insulating gloves/face shield/eye protection.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into shower or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Date of Issue: 11 April 2016 Page 24 of 29



## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

Exhaust/ventilator

No special ventilation equipment is needed under intended use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommendation for storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

#### 7.3 Specific end use(s)

Toner for electrophotographic equipment

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**ACGIH** 

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

**OSHA-PEL** 

(Titanium dioxide) TWA 15mg/m3 (as the product)

TWA 15mg/m3(Total dust) 5mg/m3(Respirable fraction)

DMG-MAK

(as the product)

4mg/m3(Inhalable fraction)
1.5mg/m3(Respirable fraction)

#### 8.2 Exposure controls

Individual protection measures

Respiratory protection:

Hand protection:

Eye protection:

Not required under intended use.

Date of Issue: 11 April 2016 Page 25 of 29



## SAFFTY DATA SHFFT

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical properties

Appearance: Powder/granule

Color: Cyan Odor: None

Phase change temperature

Melting point/Freezing point: 110-150(Softening point)

Auto-ignition temperature data N.A.

Specific gravity/Density: 1.1-1.5g/cm3

Solubility

Solubility in water: Insoluble

9.2 Other information

**Explosive Properties** 

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

## SECTION 10: Stability and reactivity

10.2 Chemical stability: Stable.
10.3 Possibility of hazardous reactions: None.
10.5 Incompatible materials: None.
10.6 Hazardous decomposition products: None.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD50 > 2,000 mg/kg

(This was the highest attainable mass.)

Acute toxicity (Gases inhalation), Product

LC50 >5.03mg/l

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Mildly irritating.

Serious eye damage /irritation

Minimal irritating.

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test: Negative

Carcinogenicity

(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human

carcinogen).

In animal chronic inhalation studies, carcinogenicity was observed in only specific rats.

Date of Issue: 11 April 2016 Page 26 of 29



This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

**Chronic Effects** 

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3)exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. These findings are attributed to "lung overloading", a genera response to excessive amounts of any dust retained in the lungs for a prolonged period.

No Aspiration hazard data available

## SECTION 12: Ecological information

#### 12.1 Toxicity:

Aquatic toxicity

LC50 is greater than 100mg/L (fish)

EC50 is greater than 100mg/L (daphnia)

EC50 is greater than 100mg/L (Algae)

No Persistence and degradability data available

No Bioaccumulative potential data available

No Mobility in soil data available

Ozone depleting chemical data not available

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of in accordance with local, state and federal regulations.

Empty plastic container may be recycled.

# SECTION 14: Transport information

UN No, UN CLASS

Not applicable to UN NO.

Land DOT 49 CFR,ADR:

Sea IMDG Code:

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Not classified as Dangerous Goods

Date of Issue: 11 April 2016 Page 27 of 29



## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US/Canada Information

Toxic Substance Control Act (TSCA)

All chemical substances in this product comply with all applicable rules or orders under TSCA.

California Proposition 65

Not regulated.

OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.

RCRA(40 CFR 261)

Product or components not listed.

CERCLA/SARA Information

Not regulated.

NTP Annual Report on Carcinogens

Not listed as an NTP carcinogen.

#### Controlled Products Regulations (Canada)

This product has been classified in accordance with the hazard criteria of the CPR.

Workplace Hazardous Materials Information System (Canada)

No toxicology information available.

#### **EU Information**

Regulation(EC)No.1907/2006(REACH)

All chemical substances in this product comply with all applicable rules or order under 1907/2006.

#### Australian Information

Not classified as hazardous according to criteria of NOHSC

The substance is being imported or manufactured under a permit granted under section 21U of the Industrial Chemicals (Notification and Assessment)Act 1989

Date of Issue: 11 April 2016 Page 28 of 29



## SAFFTY DATA SHFFT

## SECTION 16: Other information

#### Reference Book

Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012) 2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2014 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats

H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats

B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

#### **Definitions and Abbreviations**

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)

ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)

DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche

Forschungsgemeinschaft

TWA stands for Time Weighted Average

IARC stands for International Agency for Research on Cancer

NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)

NOHSC stands for National Occupational Health and Safety Commission (Australia)

ADG stands for Australian Dangerous Goods

#### Restrictions

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Date of Issue: 11 April 2016 Page 29 of 29