

SAFETY DATA SHEET

Wiper cleaning liquid set A

IP6-251

OKI DATA CORPORATION

Issuing Date: 1 April, 2018



Safety Data Sheet

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Product identifier Product Name : Wiper cleaning liquid set A Product Code : IP6-251 Relevant identified uses of the substance or mixture and uses advised against Inkjet Ink 3 Details of the supplier of the safety data sheet Manufacturer's Name : OKI Data Corporation 4-11-22 Shibaura, Minato-ku, Tokyo , Japan Tel: +81-(0)3-5445-6111 Distributor: OKI Data (Australia) Pty Ltd. Level 1 67 Epping Road, Macquarie Park NSW 2113, Australia Tel: +61-2-8071-0000 HAZARDS IDENTIFICATION

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or m	nixture
<regulation (ec)="" 1272="" 20<="" no.="" td=""><td>08></td></regulation>	08>
Classification	
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
2.2 Label elements	
<regulation (ec)="" 1272="" 20<="" no.="" td=""><td>08></td></regulation>	08>
Hazard pictograms	^

Signal word:	Danger
Hazard statements	Causes skin irritation.
	Causes serious eye damage.
Precautionary statements	
Prevention:	Wear eye protection/ face protection.
	Wear protective gloves/ protective clothing.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
	IF ON SKIN: Wash with plenty of water. Call a POISON CENTER or doctor/ physician if you feel unwell.
	Take off contaminated clothing and wash it before reuse.
Hazardous components which m	nust be listed on the label:
	γ-butyrolactone
2.3 Other hazards	
Vapours may form explosive mix	ture with air.

3. COMPOSITION / INFORMATION ON INGREDIENTS



Main Ingredients	Content(%)	CAS-No.	EC-No.	Registration number	Classification (REGULATION (EC) No 1272/2008)
bis(2-ethoxyethyl)ether	>90	112-36-7	203-963-7	-	Skin Irrit. 2; H315
γ-butyrolactone	<10	96-48-0	202-509-5	-	Acute Tox. 4; H302 Eye Dam. 1; H318 STOT SE 3; H336

4. FIRST-AID MEASURES

4.1 Description of first aid measures

+. I Description of mist did medisure	
General advice:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
If inhaled:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately
If swallowed:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Risks:	Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate me	edical attention and special treatment needed
Treatment:	Treat symptomatically and supportively
5. FIRE-FIGHTING MEASURES	3
Suitable extinguishing	Water spray

Dry chemical Carbon dioxide (CO2)

Unsuitable Extinguishing Media

High volume water jet

Alcohol-resistant foam

5.2 Special hazards arising from the substance or mixture

media:

5.



Specific hazards during fire-fighting:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products:	Carbon oxides
5.3 Advice for firefighters	

Special protective equipme	ent In the event of fire, wear self-contained breathing apparatus.
for firefighters:	Use personal protective equipment.
Specific extinguishing methods:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers/tanks with water spray. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

6. ACCIDENTAL RELEASE MEASURES

6.1	11	Personal	precautions.	protective	equipmen	t and	emergency	/ procedures
υ.		oroonal	probuduiono,	protootivo	oquipritori	t unu	Ginorgono	procoduroo

Personal precautions:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
6.2 Environmental precautions	
Environmental precautions:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).

cannot be contained.

Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

6.3 Methods and material for containment and cleaning up

Met	hods for cleaning up:	Non-sparking tools should be used. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Suppress (knock down) gases/vapours/mists with a water spray jet.
		For large spills, provide dyking or other appropriate
		containment to keep material from spreading. If dyked
		material can be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absorbent.
		Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
		Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Technical measures:

See Engineering measures under EXPOSURE



Local/Total ventilation:	CONTROLS/PERSONAL PROTECTION section.
	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling:	Do not get on skin or clothing. Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage areas and containers:	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Advice on common storage:	Do not store with the following product types: Strong oxidizing agents Explosives Gases
7.3 Specific end use(s)	
Specific use(s):	No data available
8. EXPOSURE CONTROLS/PE	
8.1 Control parameters	ROUNAL FRUIEGIUN
err eentrer parametere	ROUAL PROTECTION
·	ccording to Regulation (EC) No. 1907/2006: End Use: Workers

End Use: Workers

Exposure routes: Inhalation Potential health effects: Long-term systemic effects

γ-butyrolactone:



	— ——
	Value: 130 mg/m3
	End Use: Workers
	Exposure routes: Inhalation Potential health effects: Acute systemic effects
	Value: 958 mg/m3
	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects Value: 19 mg/kg
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 28 mg/m3 End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Acute systemic effects
	Value: 340 mg/m3
	End Use: Consumers Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 8 mg/kg
	End Use: Consumers
	Exposure routes: Ingestion Potential health effects: Long-term systemic effects
	Value: 8 mg/kg
Predicted No Effect Concentration (PNEC)	according to Regulation (EC) No. 1907/2006:
γ-butyrolactone:	Fresh water
	Value: 0.056 mg/l
	Marine water Value: 0.0056 mg/l
	Intermittent use/release
	Value: 0.56 mg/l
	Sewage treatment plant
	Value: 452 mg/l Fresh water sediment
	Value: 0.24 mg/kg
	Marine sediment
	Value: 0.02 mg/kg
	Soil Value: 0.0147 mg/kg
8.2 Exposure controls	
Engineering measures:	Ensure adequate ventilation, especially in confined areas.
	Minimize workplace exposure concentrations.
	Use only in an area equipped with explosion proof exhaust
Demonstration of the second second	ventilation.
Personal protective equipment	
Eye protection:	Wear the following personal protective equipment: Chemical resistant goggles must be worn.
	If splashes are likely to occur, wear:Face-shield
Hand protection	
Material:	Nitrile rubber
	butyl-rubber
Remarks:	Choose gloves to protect hands against chemicals depending
	on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not
	determined for the product. Change gloves often! For special
	applications, we recommend clarifying the resistance to



	chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type:	Organic vapour type (A)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

-		
	Appearance:	liquid
	Color:	Colorless
	Odor	solvent-like
	Odor Threshold:	No data available
	pH:	No data available
	Melting point/freezing point:	No data available
	Initial boiling point and boiling range:	No data available
	Flash point:	71 °C
		Method: Cleveland open cup
	Evaporation rate:	No data available
	Flammability (solid, gas)	Not applicable
	Upper explosion limit:	No data available
	Lower explosion limit:	No data available
	Vapour pressure:	No data available
	Relative vapour density:	No data available
	Density:	0.9-1.1g/cm3 (25°C)
	Water solubility:	soluble
	Solubility in other solvents	soluble Solvent: organic solvents
	Partition coefficient: n-octanol/water:	Not applicable
	Auto-ignition temperature:	No data available
	Thermal decomposition:	No data available
	Viscosity, dynamic:	5 - 15 mPa.s (25 °C)
	Explosive properties:	Not explosive
	Oxidizing properties:	The substance or mixture is not classified as oxidizing.
9.2	Other information	

No data available



No. Q54-2967 Version : 2	
Not classified as a reactivity	hazard.
10.2 Chemical stability	
Stable under normal condition	ons.
10.3 Possibility of hazardous reactions	
Hazardous reactions:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid:	Heat, flames and sparks.
10.5 Incompatible materials	
Materials to avoid:	Oxidizing agents
10.6 Hazardous decomposition p	roducts
No hazardous decomposition	on products are known.
11. TOXICOLOGICAL INFORM	MATION
11.1 Information on toxicological	effects
Information on likely routes of exposure:	Inhalation, Skin contact, Ingestion,
Acute toxicity:	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Acute oral toxicity:	LD50 (Rat): 4,970 mg/kg

of exposure:	initialation, Skin contact, ingestion,
Acute toxicity:	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Acute oral toxicity:	LD50 (Rat): 4,970 mg/kg
<γ-butyrolactone>	
Acute oral toxicity:	LD50 (Rat): 1,582 mg/kg
Acute dermal toxicity:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Skin corrosion/irritation:	Causes skin irritation.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Result:	Skin irritation
Remarks:	Based on data from similar materials
<γ-butyrolactone>	
Species:	Rabbit
Result:	No skin irritation
Serious eye damage/eye irritation	: Causes serious eye damage.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Species:	Rabbit
Method:	OECD Test Guideline 405
Result:	No eye irritation
<γ-butyrolactone>	
Species:	Rabbit
Method:	OECD Test Guideline 405
Result:	Irreversible effects on the eye
Respiratory or skin sensitisation	
Skin sensitization:	Not classified based on available information.
Respiratory sensitisation:	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	



Test Type:	Local lymph node assay (LLNA)
Exposure routes:	Skin contact
Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Remarks:	Based on data from similar materials
<γ-butyrolactone>	
Test Type:	Local lymph node assay (LLNA)
Exposure routes:	Skin contact
Species:	Mouse
Method:	OECD Test Guideline 429
Result:	negative
Germ cell mutagenicity	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
<γ-butyrolactone>	Remarks. Based on data nom similar materials
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Carcinogenicity	Not classified based on available information.
<γ-butyrolactone>	
Species:	Rat
Application Route:	Ingestion
Exposure time:	103 weeks
Result:	negative
Reproductive toxicity	Not classified based on available information.
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Effects on fertility	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal	Remarks: Based on data from similar materials
development	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
<γ-butyrolactone>	5
Effects on fertility	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative



STOT - single exposure: <γ-butyrolactone>	Not classified based on available information.
Assessment:	May cause drowsiness or dizziness.
STOT - repeated exposure:	Not classified based on available information.
Repeated dose toxicity	
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Species:	Rat
NOAEL:	2.49 mg/l
Application Route:	inhalation (dust/mist/fume)
Exposure time:	4 w
Method:	OECD Test Guideline 412
<γ-butyrolactone>	
Species:	Rat
NOAEL:	225 mg/kg
Application Route:	Ingestion
Exposure time:	13 w
Aspiration toxicity:	Not classified based on available information.

12. ECOLOGICAL INFORMATION 12.1 Toxicity

12.1 Toxicity	
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Toxicity to fish:	LC50 : > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates:	LC50 : 6,600 mg/l Exposure time: 96 h
Toxicity to bacteria:	NOEC : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):	EC10: 7.38 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials
<γ-butyrolactone>	
Toxicity to fish:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 56 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 31.25 mg/l Exposure time: 72 h
Toxicity to bacteria:	IC50 : 4,518 mg/l Exposure time: 40 h
12.2 Persistence and degradability	
<bis(2-ethoxyethyl) ether=""></bis(2-ethoxyethyl)>	
Biodegradability:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F



v-butyrolactone>

Biodegradability:

Result: Readily biodegradable. Biodegradation: 77 % Exposure time: 14 d Method: OECD Test Guideline 301C

<(2-Methoxymethylethoxy)propanol>

Biodegradability:

Result: Readily biodegradable. Biodegradation: 96 % Exposure time: 28 d Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

<Bis(2-ethoxyethyl) ether>

Partition coefficient: n-octanol/water: log Pow: 0.39

<q-butyrolactone>

Partition coefficient: n-octanol/water: log Pow: -0.566

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

 13.1 Waste treatment methods
Product:
Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging:
Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

- 14.2 UN proper shipping name Not regulated as a dangerous good
- 14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous	
	chemicals:	Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).:	Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the	
	ozone layer:	Not applicable
	Regulation (EC) No 850/2004 on persistent organic pollutants:	Not applicable
	Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving	
	dangerous substances:	Not applicable
2	Chemical Safety Assessment	

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Full text of H-Statements

H302: Harmful if swallowed.

H315:Causes skin irritation.

H318: Causes serious eye damage.

H336:May cause drowsiness or dizziness.

Full text of other abbreviations

Acute Tox.:	Acute toxicity.
Eye Dam.:	Serious eye damage.
STOT SE:	Specific target organ toxicity - single exposure.
2000/39/EC:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40:	UK. EH40 WEL - Workplace Exposure Limits.
2000/39/EC / TWA:	Limit Value - eight hours.
GB EH40 / TWA:	Long-term exposure limit (8-hour TWA reference period).

Further information

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.