

Toner Powder (Cartridge) for Pro1040 series Pro1050 series

OKI DATA CORPORATION

NOTE:-A safety data sheet is not required for this product under Article 31 of REACH. This safety data sheet is provided on a voluntary basis

Date of Issue: 6 March 2020 Page 1 of 76



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Black toner powder (cartridge) for

Pro1040 series Pro1050 series

(Toner powder name: ODK-11-TH)

Product description: Black Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier: OKI Europe Limited

Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199

e-mail: SDSQuestions@okieurope.com

1.4 Emergency telephone number

OKI Europe Limited: +44 (0) 208 219 2190

(Supported 09:00 to 17:00 UK Time, Monday to Friday

except Bank Holidays)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown ecotoxicity: Percentage of the mixture consisting of ingredient(s) of

unknown hazards to the aquatic environment: 85,7%

### Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments. Classification:

Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of Issue: 6 March 2020 Page 2 of 76



#### 2.2 Label elements

Hazard pictograms:

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous ingredients:

Supplemental label elements: Not applicable.

#### 2.3 Other hazards

Other hazards which do not result in classification:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

### SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### **Type**

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Date of Issue: 6 March 2020 Page 3 of 76



### SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs. Exposure

to decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

Skin contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: No specific data. Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may

be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: No specific treatment.

Date of Issue: 6 March 2020 Page 4 of 76



### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use dry chemical powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Fine dust clouds may form explosive mixtures

with air.

Hazardous combustion products: Decomposition products may include the

following materials: Carbon dioxide

Carbon dioxide Carbon monoxide Nitrogen oxides

Halogenated compounds Metal oxide/oxides

5.3 Advice for firefighters

Special precautions for firefighters: Promptly isolate the scene by removing all

persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection

for chemical incidents.

Date of Issue: 6 March 2020 Page 5 of 76



### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

6.2 Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal

contractor.

6.4 Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

Date of Issue: 6 March 2020 Page 6 of 76



### SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition precautionary measures sources. Take electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Seveso II Directive

This product is not controlled under the Seveso II Directive.

### 7.3 Specific end use(s)

Not available. Recommendations: Industrial sector specific solutions: Not available.

Date of Issue: 6 March 2020 Page 7 of 76



### SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

### 8.1 Control parameters

Occupational exposure limits

<u> </u>	
Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
Germany	
No exposure limit value known.	
Spain	INSHT (Spain, 3/2013).
Carbon black	TWA: 3.5mg/m³, 8 hours. Form: fume
	INSHT (Spain, 1/2015).
Paraffin	TWA: 2mg/m³, 8 hours. Form: fume

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard atmospheres ΕN 482 (Workplace requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Date of Issue: 6 March 2020 Page 8 of 76



#### Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles. Recommended:

Splash goggles.

Safety glasses with side shields.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

>8 hours (breakthrough time): natural rubber (latex)

Body protection: Personal protective equipment for the body should be

selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Recommended: Lab coat Overall

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Respiratory protection: Use a properly fitted, particulate filter respirator complying

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls: Emissions from ventilation or work process equipment

should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.

Date of Issue: 6 March 2020 Page 9 of 76



Remark:

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state: Solid. [Powder.]

Colour: Black. Odour: Odourless. Odour threshold: Not available. pH: Not applicable. Melting point: Not available. Initial boiling point and boiling range: Not available. Flash point: Not available. Evaporation rate (butyl acetate= 1): Not available. Flammability (solid, gas): Not available.

Upper/lower flammability or explosive limits:
Vapour density:

Density:

Not available.

Not available.

1.2 g/cm3 (20°c)

Solubility(ies): Partially soluble in the following materials:

Acetone.

Insoluble in the following materials:

Cold water and hot water.

Partition coefficient n-octanol/water:

Decomposition temperature:

Viscosity ( Dynamic ):

Not available.

Not available.

Explosive properties: Explosive in the presence of the following

materials or conditions:

Open flames, sparks and static discharge.

Oxidizing properties: Not available.

9.2 Other information

No additional information.

Date of Issue: 6 March 2020 Page 10 of 76



### SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for

this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid: Explosive in the presence of the following materials or

conditions:

Open flames, sparks and static discharge.

10.5 Incompatible materials: Reactive or incompatible with the following materials:

Oxidizing materials

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose
Proprietary mixture.	LC50 Inhalation Dusts and	Rat	>5,07 mg/l
	mists		
	LD50 Oral	Rat	>2000 mg/kg

Conclusion/Summary: Not available.

Acute toxicity estimates

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score

Conclusion/Summary:

Skin: On basis of test data (404 Acute Dermal Irritation/Corrosion):

Not classified.

Eyes: On basis of test data (405 Acute Eye Irritation/Corrosion):

Not classified.

Respiratory: Not available.

Sensitizer

Product/ingredient name	Route of exposure	Species	Result
Proprietary mixture.	Skin	Mouse	Not sensitizing

Conclusion/Summary:

Skin: Non-sensitizer to skin.

Respiratory: Not available.

Date of Issue: 6 March 2020 Page 11 of 76



<u>Mutagenicity</u>

Product/ingredient name	Test	Experiment	Result
Proprietary mixture.	Ames test (TA98,TA100,TA1535,TA1537, TA1538, WP2uvrA)	Subject: Bacteria	Negative

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

<u>Specific target organ toxicity (single exposure)</u> <u>Specific target organ toxicity (repeated exposure)</u>

Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards.

Eye contact: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the

eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Ingestion: No specific data. Skin contact: No specific data.

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Potential chronic health effects

Conclusion/Summary: Not available.

General: Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity:

Mo known significant effects or critical hazards.

No known significant effects or critical hazards.

Teratogenicity:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Fertility effects:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Absorption: Not available.
Distribution: Not available.
Metabolism: Not available.
Elimination: Not available.
Other information: Not available.

Date of Issue: 6 March 2020 Page 12 of 76



# SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary: Not available.

12.2 Persistence and degradability

12.3 Bioaccumulative potential:

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment:

12.6 Other adverse effects: No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### Product

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not

regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

**Packaging** 

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill

should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way.

Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Date of Issue: 6 March 2020 Page 13 of 76



# **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	- <u>ADR/RID</u> <u>Classification</u> Code		-	

14.6 Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of Issue: 6 March 2020 Page 14 of 76



### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: - Not applicable.

### Other EU regulations

### Seveso II Directive

This product is not controlled under the Seveso II Directive.

#### National regulations

<u>Germany</u>

Hazard class for water: 3 Appendix No. 4

**Switzerland** 

VOC content: Liberated.

### International regulations

Registration status:

This refers only to country inventory status. Some countries may have additional importation requirements.

Australia - (AICS)

China - (IECSC)

European Union - (EINECS or ELINCS)

Japan - (ENCS)

Republic of Korea - (KECI)

United States - (TSCA)

Taiwan - (CSNN)

15.2 Chemical Safety Assessment: This product contains substances for which Chemical

Safety Assessments are still required.

Date of Issue: 6 March 2020 Page 15 of 76



### SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No.1272/2008] DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008

[CLP/GHS]

<u>1021 7 01131</u>	
Classification	Justification
Not classified.	

#### **Europe**

Full text of abbreviated H statements: Not applicable.

Full text of classifications [CLP/GHS]: Not applicable.

Full text of abbreviated R statements: Not applicable.

Full text of classifications [DSD/DPD]: Not applicable.

Form: ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.4 -

Europe

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of Issue: 6 March 2020 Page 16 of 76



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Yellow toner powder (cartridge) for

Pro1040 series Pro1050 series

(Toner powder name: ODY-11-NH)

Product description: Yellow Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier: OKI Europe Limited

Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199

e-mail: SDSQuestions@okieurope.com

1.4 Emergency telephone number

OKI Europe Limited: +44 (0) 208 219 2190

(Supported 09:00 to 17:00 UK Time, Monday to Friday

except Bank Holidays)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity: Percentage of the mixture consisting of ingredient(s) of

unknown toxicity: 6,9%

Ingredients of unknown ecotoxicity: Percentage of the mixture consisting of ingredient(s) of

unknown hazards to the aquatic environment: 91,7%

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of Issue: 6 March 2020 Page 17 of 76



#### 2.2 Label elements

Hazard pictograms:

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous ingredients:

Supplemental label elements: Not applicable.

#### 2.3 Other hazards

Other hazards which do not result in classification:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

### SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Date of Issue: 6 March 2020 Page 18 of 76



### SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: No specific data. Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may

be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: No specific treatment.

Date of Issue: 6 March 2020 Page 19 of 76



### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use dry chemical powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Fine dust clouds may form explosive mixtures

with air.

Hazardous combustion products: Decomposition products may include the

following materials: Carbon dioxide

Carbon dioxide
Carbon monoxide
Nitrogen oxides

Halogenated compounds Metal oxide/oxides

5.3 Advice for firefighters

Special precautions for firefighters: Promptly isolate the scene by removing all

persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection

for chemical incidents.

Date of Issue: 6 March 2020 Page 20 of 76



### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

6.2 Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal

contractor.

6.4 Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

Date of Issue: 6 March 2020 Page 21 of 76



### SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. precautionary measures Take electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Seveso II Directive

This product is not controlled under the Seveso II Directive.

### 7.3 Specific end use(s)

Recommendations: Not available. Industrial sector specific solutions: Not available.

Date of Issue: 6 March 2020 Page 22 of 76



### SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

Occupational exposure limits

Occupational exposure mints	
Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
Germany No exposure limit value known.	
Spain	INSHT (Spain, 1/2015).
Paraffin	TWA: 2mg/m <sup>3</sup> , 8 hour(s). Form:-Fume

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard (Workplace atmospheres requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

### 8.2 Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Date of Issue: 6 March 2020 Page 23 of 76



#### Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Recommended: Splash goggles

Safety glasses with side-shields

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

>8 hours (breakthrough time): natural rubber (latex)

Body protection: Personal protective equipment for the body should be

selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Recommended:
Lab coat
Overall

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Respiratory protection: Use a properly fitted, particulate filter respirator complying

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls: Emissions from ventilation or work process equipment

should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.



Remark:

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state: Solid. [Powder.]

Colour: Yellow. Odour: Odourless. Odour threshold: Not available. pH: Not applicable. Melting point: Not available. Initial boiling point and boiling range: Not available. Flash point: Not available. Evaporation rate (butyl acetate= 1): Not available.

Flammability (solid, gas):
Upper/lower flammability or explosive limits:
Vapour density:
Density:
Not available.
Not available.
1.2 g/cm3 (20 °C)

Solubility(ies): Partially soluble in the following materials:

Acetone.

Insoluble in the following materials:

Cold water and hot water.

Partition coefficient n-octanol/water:

Decomposition temperature:

Viscosity ( Dynamic ):

Not available.

Not available.

Explosive properties: Explosive in the presence of the following

materials or conditions:

Open flames, sparks and static discharge.

Oxidizing properties: Not available.

9.2 Other information

No additional information.

Date of Issue: 6 March 2020 Page 25 of 76



### SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for

this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid: Explosive in the presence of the following materials or

conditions:

Open flames, sparks and static discharge.

10.5 Incompatible materials: Reactive or incompatible with the following materials:

Oxidizing materials

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose
Proprietary mixture.	LC50 Inhalation Dusts and	Rat	>5,07 mg/l
	mists		
	LD50 Oral	Rat	>2000 mg/kg

Conclusion/Summary: Not available.

Acute toxicity estimates

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score

Conclusion/Summary:

Skin: On basis of test data (404 Acute Dermal Irritation/Corrosion):

Not classified.

Eyes: On basis of test data (405 Acute Eye Irritation/Corrosion):

Not classified.

Respiratory: Not available.

Sensitizer

Product/ingredient name	Route of exposure	Species	Result
Proprietary mixture.	skin	Mouse	Not Sensitizing

Conclusion/Summary:

Skin: Not available. Respiratory: Not available.

Date of Issue: 6 March 2020 Page 26 of 76



**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Proprietary mixture.	Ames test (TA98,TA100,TA1535,TA1537, TA1538, WP2uvrA)	Experiment: In vitro	Negative
		Subject: Bacteria	

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards.

Eye contact: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the

eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Ingestion: No specific data. Skin contact: No specific data.

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Potential chronic health effects

Conclusion/Summary: Not available.

General: Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity:

No known significant effects or critical hazards.

Absorption: Not available.
Distribution: Not available.
Metabolism: Not available.
Elimination: Not available.
Other information: Not available.

Date of Issue: 6 March 2020 Page 27 of 76



### SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Test
Proprietary mixture.	Acute EC50 >100	Daphnia	48 hours	Data on similar product

Conclusion/Summary:

Not available.

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects: No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

### **Product**

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not

regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

<u>Packaging</u>

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill

should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way.

Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Date of Issue: 6 March 2020 Page 28 of 76



# **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper	-	-	-	-
shipping name				
14.3 Transport	-	-	-	-
hazard class(es)				
14.4 Packing group	-	-	-	-
14.5 Environmental	No.	No.	No.	No.
hazards				
Additional	-	-	-	-
information				
	ADR/RID			
	Classification			
	Code			

14.6 Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of Issue: 6 March 2020 Page 29 of 76



### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: - Not applicable.

### Other EU regulations

Seveso II Directive

This product is not controlled under the Seveso II Directive.

National regulations

<u>Germany</u>

Hazard class for water: 2 Appendix No. 4

**Switzerland** 

VOC content: Liberated.

### International regulations

Registration status:

This refers only to country inventory statusor OKI notifications to specific country inventories. Some countries may have additional importation requirements.

Australia (AICS)

China (IECSC)

European Union (EINECS or ELINCS)

Japan - (ENCS)

Republic of Korea - (KECI)

United States - (TSCA)

Taiwan - (CSNN)

15.2 Chemical Safety Assessment: This product contains substances for which Chemical

Safety Assessments are still required.

Date of Issue: 6 March 2020 Page 30 of 76



### SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No.1272/2008] DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

1021701101	
Classification	Justification
Not classified.	

#### **Europe**

Full text of abbreviated H statements: Not applicable.

Full text of classifications [CLP/GHS]: Not applicable.

Full text of abbreviated R statements: Not applicable.

Full text of classifications [DSD/DPD]: Not applicable.

Form: ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.4 -

Europe

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of Issue: 6 March 2020 Page 31 of 76



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Magenta toner powder (cartridge) for

Pro1040 series Pro1050 series

(Toner powder name: ODM-11-FH)

Product description: Magenta Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier: OKI Europe Limited

Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199

e-mail: SDSQuestions@okieurope.com

1.4 Emergency telephone number

OKI Europe Limited: +44 (0) 208 219 2190

(Supported 09:00 to 17:00 UK Time, Monday to Friday

except Bank Holidays)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity: Percentage of the mixture consisting of ingredient(s) of

unknown toxicity: 2,1%

Ingredients of unknown ecotoxicity: Percentage of the mixture consisting of ingredient(s) of

unknown hazards to the aquatic environment: 90,2%

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of Issue: 6 March 2020 Page 32 of 76



#### 2.2 Label elements

Hazard pictograms:

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous ingredients:

Supplemental label elements: Not applicable.

#### 2.3 Other hazards

Other hazards which do not result in classification:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

### SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Date of Issue: 6 March 2020 Page 33 of 76



### SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: No specific data. Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may

be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: No specific treatment.

Date of Issue: 6 March 2020 Page 34 of 76



### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use dry chemical powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Fine dust clouds may form explosive mixtures

with air.

Hazardous combustion products: Decomposition products may include the

following materials: Carbon dioxide

Carbon dioxide
Carbon monoxide
Nitrogen oxides
Sulphur oxides

Halogenated compounds Metal oxide/oxides

5.3 Advice for firefighters

Special precautions for firefighters: Promptly isolate the scene by removing all

persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection

for chemical incidents.

Date of Issue: 6 March 2020 Page 35 of 76



### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

6.2 Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal

contractor.

6.4 Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

Date of Issue: 6 March 2020 Page 36 of 76



# SAFFTY DATA SHFFT

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. precautionary measures Take electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Seveso II Directive

This product is not controlled under the Seveso II Directive.

### 7.3 Specific end use(s)

Not available. Recommendations: Industrial sector specific solutions: Not available.

Date of Issue: 6 March 2020 Page 37 of 76



# SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
Germany	
No exposure limit value known.	
Spain	
Paraffin	INSHT (Spain, 1/2015).
	TWA: 2mg/m <sup>3</sup> , 8 hour(s). Form:-Fume

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard (Workplace atmospheres requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNFCs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Date of Issue: 6 March 2020 Page 38 of 76



#### Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Recommended: Splash goggles

Safety glasses with side-shields

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

>8 hours (breakthrough time): natural rubber (latex)

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Recommended: Lab coat Overall

Other skin protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

De la specialist before flatialing this produc

Recommended:

Respiratory protection:

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.

Date of Issue: 6 March 2020 Page 39 of 76



# SAFFTY DATA SHFFT

Remark:

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state: Solid. [Powder.]

Colour: Magenta
Odour: Odourless.
Odour threshold: Not available.
pH: Not applicable.
Melting point: Not available.

Initial boiling point and boiling range:

Flash point:

Evaporation rate (butyl acetate= 1):

Flammability (solid, gas):

Upper/lower flammability or explosive limits:

Not available.

Not available.

Not available.

Vapour density:

Not available.

Not available.

1.2g/cm3 (20°c)

Solubility(ies): Partially soluble in the following materials:

Acetone.

Insoluble in the following materials:

Cold water and hot water.

Partition coefficient n-octanol/water:

Decomposition temperature:

Viscosity ( Dynamic ):

Not available.

Not available.

Explosive properties: Explosive in the presence of the following

materials or conditions:

Open flames, sparks and static discharge.

Oxidizing properties: Not available.

9.2 Other information

No additional information.

Date of Issue: 6 March 2020 Page 40 of 76



# SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for

this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid: Explosive in the presence of the following materials or

conditions:

Open flames, sparks and static discharge.

10.5 Incompatible materials: Reactive or incompatible with the following materials:

Oxidizing materials

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

# SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose
Proprietary mixture.	LC50 Inhalation Dusts and	Rat	>5,09 mg/l
	mists		
	LD50 Oral	Rat	>2000 mg/kg

Conclusion/Summary: Not available.

Acute toxicity estimates

Route	ATE value	
Not available.		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score

Conclusion/Summary:

Skin: On basis of test data (404 Acute Dermal Irritation/Corrosion):

Not classified.

Eyes: On basis of test data (405 Acute Eye Irritation/Corrosion):

Not classified.

Respiratory: Not available.

Sensitizer

Product/ingredient name	Route of exposure	Species	Result
Proprietary mixture.	skin	Mouse	Not Sensitizing

Conclusion/Summary:

Skin: Not sensitizing. Respiratory: Not available.

Date of Issue: 6 March 2020 Page 41 of 76



**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Proprietary mixture.	Ames test (TA98,TA100,TA1535,TA1537, TA1538, WP2uvrA)	Subject: Bacteria	Negative

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards.

Eye contact: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the

eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Ingestion: No specific data. Skin contact: No specific data.

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Potential chronic health effects

Conclusion/Summary: Not available.

General: Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity: No known significant effects or critical hazards. No known significant effects or critical hazards. Teratogenicity: No known significant effects or critical hazards. Developmental effects: No known significant effects or critical hazards. Fertility effects: No known significant effects or critical hazards. No known significant effects or critical hazards.

Absorption: Not available.
Distribution: Not available.
Metabolism: Not available.
Elimination: Not available.
Other information: Not available.

Date of Issue: 6 March 2020 Page 42 of 76



# SECTION 12: Ecological information

12.1 Toxicity

posure -	Test
5	Data on similar
-	nours

Conclusion/Summary: Not available.

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects: No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not

regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

<u>Packaging</u>

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill

should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care

should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers.

Date of Issue: 6 March 2020 Page 43 of 76



# **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	- ADR/RID Classification Code	-	-	-

14.6 Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of Issue: 6 March 2020 Page 44 of 76



# SAFFTY DATA SHFFT

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: - Not applicable.

### Other EU regulations

### Seveso II Directive

This product is not controlled under the Seveso II Directive.

### National regulations

**Germany** 

Hazard class for water: 2 Appendix No. 4

#### **Switzerland**

VOC content: Liberated.

### International regulations

Registration status:

This refers only to country inventory status. Some countries may have additional importation requirements.

Australia (AICS)

China (IECSC)

European Union (EINECS or ELINCS)

Japan - (ENCS)

Republic of Korea - (KECI)

United States (TSCA)

Taiwan - (CSNN)

15.2 Chemical Safety Assessment: This product contains substances for which Chemical

Safety Assessments are still required.

Date of Issue: 6 March 2020 Page 45 of 76



### SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No.1272/2008] DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008

<u>[617-615]</u>		
Classification	Justification	
Not classified.		

#### **Europe**

Full text of abbreviated H statements: Not applicable.

Full text of classifications [CLP/GHS]: Not applicable.

Full text of abbreviated R statements: Not applicable.

Full text of classifications [DSD/DPD]: Not applicable.

Form: ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.4 -

Europe

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of Issue: 6 March 2020 Page 46 of 76



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Cyan toner powder (cartridge) for

Pro1040 series Pro1050 series

(Toner powder name: ODC-11-MH)

Product description: Cyan Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against Material uses:

For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier: OKI Europe Limited

Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199

e-mail: SDSQuestions@okieurope.com

1.4 Emergency telephone number

OKI Europe Limited: +44 (0) 208 219 2190

(Supported 09:00 to 17:00 UK Time, Monday to Friday

except Bank Holidays)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown ecotoxicity: Percentage of the mixture consisting of ingredient(s) of

unknown hazards to the aquatic environment: 90,4 %

#### Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments. Classification:

Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of Issue: 6 March 2020 Page 47 of 76



#### 2.2 Label elements

Hazard pictograms:

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous ingredients:

Supplemental label elements: Not applicable.

#### 2.3 Other hazards

Other hazards which do not result in classification:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

# SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Date of Issue: 6 March 2020 Page 48 of 76



### SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: No specific data. Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may

be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: No specific treatment.

Date of Issue: 6 March 2020 Page 49 of 76



# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use dry chemical powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Fine dust clouds may form explosive mixtures

with air.

Hazardous combustion products: Decomposition products may include the

following materials: Carbon dioxide

Carbon monoxide Nitrogen oxides

Halogenated compounds Metal oxide/oxides

5.3 Advice for firefighters

Special precautions for firefighters: Promptly isolate the scene by removing all

persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection

for chemical incidents.

Date of Issue: 6 March 2020 Page 50 of 76



### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

6.2 Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal

contractor.

6.4 Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

Date of Issue: 6 March 2020 Page 51 of 76



# SAFFTY DATA SHFFT

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. precautionary measures Take electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Seveso II Directive

This product is not controlled under the Seveso II Directive.

### 7.3 Specific end use(s)

Recommendations: Not available. Industrial sector specific solutions: Not available.

Date of Issue: 6 March 2020 Page 52 of 76



# SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
Germany	
No exposure limit value known.	
Spain	
Paraffin	INSHT (Spain, 2/2015).
	TWA: 2mg/m³, 8 hour(s). Form:-Fume

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard atmospheres (Workplace requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Date of Issue: 6 March 2020 Page 53 of 76



# SAFFTY DATA SHFFT

#### Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Recommended: Splash goggles

Safety glasses with side-shields

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

>8 hours (breakthrough time): natural rubber (latex)

Body protection: Personal protective equipment for the body should be

selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Recommended: Lab coat Overall

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Respiratory protection: Use a properly fitted, particulate filter respirator complying

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls: Emissions from ventilation or work process equipment

should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.

Date of Issue: 6 March 2020 Page 54 of 76



Remark:

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state: Solid. [Powder.]

Colour: Cyan Odour: Odourless. Not available. Odour threshold: pH: Not applicable. Melting point: Not available. Initial boiling point and boiling range: Not available. Flash point: Not available. Evaporation rate (butyl acetate= 1): Not available. Flammability (solid, gas): Not available.

Upper/lower flammability or explosive limits: Not available. Vapour density: Not available. Density: 1.2 g/cm3 (20 °C)

Solubility(ies): Partially soluble in the following materials:

Acetone.

Insoluble in the following materials:

Cold water and hot water.

Partition coefficient n-octanol/water:

Decomposition temperature:

Viscosity ( Dynamic ):

Not available.

Not available.

Explosive properties: Explosive in the presence of the following

materials or conditions:

Open flames, sparks and static discharge.

Oxidizing properties: Not available.

9.2 Other information

No additional information.

Date of Issue: 6 March 2020 Page 55 of 76



# SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for

this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid: Explosive in the presence of the following materials or

conditions:

Open flames, sparks and static discharge.

10.5 Incompatible materials: Reactive or incompatible with the following materials:

Oxidizing materials

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

# SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose
Proprietary mixture.	LC50 Inhalation Dusts	Rat	> 4,97 mg/l
	and mists		
	LD50 Oral	Rat	>2000 mg/kg

Conclusion/Summary: Not available.

Acute toxicity estimates

Route	ATE value	
Not available.		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score

Conclusion/Summary:

Skin: On basis of test data (404 Acute Dermal Irritation/Corrosion):

Not classified.

Eyes: On basis of test data (405 Acute Eyel Irritation/Corrosion):

Not classified.

Respiratory: Not available.

Sensitizer

Product/ingredient name	Route of exposure	Species	Result
Proprietary mixture.	skin	Mouse	Not Sensitizing

Conclusion/Summary:

Skin: Not sensitizing. Respiratory: Not available.

Date of Issue: 6 March 2020 Page 56 of 76



**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Proprietary mixture.	Ames test (TA98,TA100,TA1535,TA1537, TA1538, WP2uvrA)	Experiment: In vitro Subject: Bacteria	Negative

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards.

Eye contact: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the

eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Ingestion: No specific data. Skin contact: No specific data.

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Potential chronic health effects

Conclusion/Summary: Not available.

General: Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity:

Mo known significant effects or critical hazards.

No known significant effects or critical hazards.

Absorption: Not available.
Distribution: Not available.
Metabolism: Not available.
Elimination: Not available.
Other information: Not available.

Date of Issue: 6 March 2020 Page 57 of 76



# SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Test
Proprietary mixture.	Acute EC50 >100 mg/l	Daphnia	48 hours	Data on similar
				product

Conclusion/Summary: Not available.

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects: No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not

regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

<u>Packaging</u>

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill

should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way.

Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Date of Issue: 6 March 2020 Page 58 of 76



# SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	- ADR/RID Classification Code	-	-	-

14.6 Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of Issue: 6 March 2020 Page 59 of 76



# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

Not applicable.

### Other EU regulations

### Seveso II Directive

This product is not controlled under the Seveso II Directive.

### National regulations

<u>Germany</u>

Hazard class for water: 2 Appendix No. 4

**Switzerland** 

VOC content: Liberated.

### International regulations

Registration status:

This refers only to country inventory status. Some countries may have additional importation requirements.

Australia (AICS)

China (IECSC)

European Union (EINECS or ELINCS)

Japan - (ENCS)

Republic of Korea - (KECI)

United States (TSCA)

Taiwan - (CSNN)

15.2 Chemical Safety Assessment: This product contains substances for which Chemical

Safety Assessments are still required.

Date of Issue: 6 March 2020 Page 60 of 76



### SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No.1272/2008] DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008

[CLP/GHS]

<u>  CEI / GH3  </u>	
Classification	Justification
Not classified.	

#### Europe

Full text of abbreviated H statements: Not applicable.

Full text of classifications [CLP/GHS]: Not applicable.

Full text of abbreviated R statements: Not applicable.

Full text of classifications [DSD/DPD]: Not applicable.

Form: ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.4 -

Europe

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of Issue: 6 March 2020 Page 61 of 76



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: White toner powder (cartridge) for

Pro1050 series

(Toner powder name: ODW-11-TT)

Product description: White Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses: For electrophotographic printing systems

1.3 Details of the supplier of the safety data sheet

Manufacturer: OKI Data Corporation

3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan

Tel: +81 27-328-6366 Fax: +81-27-328-6398

Supplier: OKI Europe Limited

Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199

e-mail: SDSQuestions@okieurope.com

1.4 Emergency telephone number

OKI Europe Limited: +44 (0) 208 219 2190

(Supported 09:00 to 17:00 UK Time, Monday to Friday

except Bank Holidays)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity: Percentage of the mixture consisting of ingredient(s) of

unknown toxicity: 31,6 %

Ingredients of unknown ecotoxicity: Percentage of the mixture consisting of ingredient(s) of

unknown hazards to the aquatic environment: 47,7 %

#### Classification according to Directive 1999/45/EC [DPD]

The product is not classified as hazardous according to Directive 1999/45/EC and its amendments.

Classification: Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of Issue: 6 March 2020 Page 62 of 76



#### 2.2 Label elements

Hazard pictograms:

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous ingredients:

Supplemental label elements: Not applicable.

#### 2.3 Other hazards

Other hazards which do not result in classification:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

# SECTION 3: Composition/information on ingredients

Substance/mixture: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Date of Issue: 6 March 2020 Page 63 of 76



### SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training.

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: No specific data. Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may

be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: No specific treatment.

Date of Issue: 6 March 2020 Page 64 of 76



# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use dry chemical powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Fine dust clouds may form explosive mixtures

with air.

Hazardous combustion products: Decomposition products may include the

following materials:

Carbon dioxide
Carbon monoxide
Nitrogen compounds
Halogenated compounds
Metal oxide/oxides

5.3 Advice for firefighters

Special precautions for firefighters: Promptly isolate the scene by removing all

persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection

for chemical incidents.

Additional information: This product is a combustible dust categorised

as ST2 and class II based on dust explosion ASTM E1226. Data was obtained on a similar

product.

Date of Issue: 6 March 2020 Page 65 of 76



### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

6.2 Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Use spark-proof tools and

explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal

contractor.

6.4 Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

Date of Issue: 6 March 2020 Page 66 of 76



# SAFFTY DATA SHFFT

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso II Directive

This product is not controlled under the Seveso II Directive.

### 7.3 Specific end use(s)

Recommendations: Not available. Industrial sector specific solutions: Not available.

Date of Issue: 6 March 2020 Page 67 of 76



# SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

Occupational exposure limits

Droduct (ingradient name	Evposure limit values
Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
Germany Titanium Dioxide	TRGS900 AGW (Germany, 3/2015). TWA: 1,25mg/m³ 8 hours. Form: alveolar fraction PEAK: 20mg/m³ 15 minutes. Form: inhalable fraction TWA: 10mg/m³ 8 hours. Form: inhalable fraction
Aluminium Hydroxide	TRGS900 AGW (Germany, 3/2015). TWA: 1,25mg/m³ 8 hours. Form: alveolar fraction PEAK: 20mg/m³ 15 minutes. Form: inhalable fraction TWA: 10mg/m³ 8 hours. Form: inhalable fraction MAK-Werte Liste (Germany, 7/2015). TWA: 4mg/m³ 8 hours. Form: inhalable dust TWA: 1,5mg/m³ 8 hours. Form: respirable dust
Spain Titanium Dioxide	INSHT (Spain, 1/2015). TWA: 10mg/m³ 8 hours.

### Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as the following:

European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)

European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)

European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

Date of Issue: 6 March 2020 Page 68 of 76



**PNECs** 

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Recommended: Splash goggles

Safety glasses with side-shields

Skin protection

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

>8 hours (breakthrough time): natural rubber (latex)

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Recommended:

Full suit Overall

Other skin protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection:

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates

Date of Issue: 6 March 2020 Page 69 of 76



this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Remark:

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: Solid. [Powder.]

Colour: White
Odour: Odourless.
Odour threshold: Not available.
pH: Not applicable.
Melting point: Not available.

Initial boiling point and boiling range: Not available.

Flash point: Open cup: Not available.

Evaporation rate (butyl acetate= 1):

Flammability (solid, gas):

Upper/lower flammability or explosive limits:

Not available.

Not available.

Vapour density:

Not available.

Not available.

Density:

1.2 g/cm3 (20C)

Solubility(ies): Insoluble in the following materials:

Cold water and hot water.

Partition coefficient n-octanol/water:

Decomposition temperature:

Viscosity ( Dynamic ):

Not available.

Not available.

Explosive properties: Explosive in the presence of the following

materials or conditions:

Open flames, sparks and static discharge. This product is a combustible dust categorized as ST2 and Class II based on dust explosion ASTM E1226. Data was

obtained on a similar product.

Not available.

9.2 Other information

No additional information.

Oxidizing properties:

Date of Issue: 6 March 2020 Page 70 of 76



# SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for

this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid: Explosive in the presence of the following materials or

conditions:

Open flames, sparks and static discharge.

This product is a combustible dust categorized as ST2 and Class II based on dust explosion ASTM E1226. Data

was obtained on a similar product.

10.5 Incompatible materials: Reactive or incompatible with the following materials:

Oxidizing materials

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Conclusion/Summary: Not available.

Acute toxicity

Product/ingredient name	Result	Species	Dose
Proprietary mixture.	LC50 Inhalation Dusts and	Rat	>5,09 mg/l
	mists		
	LD50 Oral	Rat	>2000 mg/l
			_

Acute toxicity estimates

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score

Conclusion/Summary:

Skin: On basis of test data (404 Acute Dermal Irritation/Corrosion):

Not classified.

Eyes: On basis of test data (405 Acute Eye Irritation/Corrosion):

Not classified.

Respiratory: Not available.

Sensitizer

Product/ingredient name	Route of exposure	Species	Result
Proprietary mixture.	skin	Mouse	Not sensitizing

Date of Issue: 6 March 2020 Page 71 of 76



Conclusion/Summary:

Skin: Not available. Respiratory: Not available.

**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Proprietary mixture.	Ames test (TA98, TA100, TA1535,	Experiment: In vitro	Negative
	TA1537, TA1538, WP2uvrA)	Subject: Bacteria	

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards.

Eye contact: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the

eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Ingestion: No specific data. Skin contact: No specific data.

Eye contact: Adverse symptoms may include the following:

Irritation Redness

Potential chronic health effects

Conclusion/Summary: Not available.

General: Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity:

No known significant effects or critical hazards.

Fertility effects:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Date of Issue: 6 March 2020 Page 72 of 76



Absorption: Not available.
Distribution: Not available.
Metabolism: Not available.
Elimination: Not available.
Other information: Not available.

# SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary: Not available.

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects: No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

### **Product**

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste: Within the present knowledge of the supplier, this product is not

regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

**Packaging** 

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill

should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way.

Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Date of Issue: 6 March 2020 Page 73 of 76



# SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	- ADR/RID Classification Code	-	-	-

14.6 Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of Issue: 6 March 2020 Page 74 of 76



# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorization

### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

### Other EU regulations

#### Seveso II Directive

This product is not controlled under the Seveso II Directive.

### National regulations

### <u>Germany</u>

Hazard class for water: 2 Appendix No. 4

### **Switzerland**

VOC content: Liberated.

### International regulations

Registration status:

This refers only to country inventory status. Some countries may have additional importation requirements.

Australia (AICS) China (IECSC)

European Union (EINECS or ELINCS)

Japan (ENCS)

Republic of Korea (KECI)

United States (TSCA)

Taiwan (CSNN)

15.2 Chemical Safety Assessment: This product contains substances for which Chemical

Safety Assessments are still required.

Date of Issue: 6 March 2020 Page 75 of 76



# SAFFTY DATA SHFFT

### SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No.1272/2008] DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008

[CLP/GHS]

<u>[CEF7 G13]</u>				
Classification	Justification			
Not classified.				

**Europe** 

Full text of abbreviated H statements: Not applicable.

Full text of classifications [CLP/GHS]: Not applicable.

Full text of abbreviated R statements: Not applicable.

Full text of classifications [DSD/DPD]: Not applicable.

Form: ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.4 -

Europe

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of Issue: 6 March 2020 Page 76 of 76