



VPAT™

Voluntary Product Accessibility Template®

Version 1.4

The purpose of the Voluntary Product Accessibility Template, or VPAT™, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial “Electronic and Information Technology” products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, "e.g., equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: 1/10/17

Name of Product: MC363

Contact for more Information (name/phone/email): Customer Service and Support / 1-800-OKI-DATA (1-800-654-3282) / support@okidata.com

<p style="text-align: center;">Summary Table VPAT™ Voluntary Product Accessibility Template®</p>		
<i>Criteria</i>	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Supports	
Section 1194.22 Web-based Internet Information and Applications	Not Applicable	Product is not web-based Internet information or an application.
Section 1194.23 Telecommunications	Not Applicable	Product is not a

Products		telecommunications device.
Section 1194.24 Video and Multi-media Products	Not Applicable	Product is not a video or multimedia device.
Section 1194.25 Self-Contained, Closed Products	Supports with Exceptions	See Section Remarks and Explanations.
Section 1194.26 Desktop and Portable Computers	Not Applicable	Product is not a desktop or portable computer.
Section 1194.31 Functional Performance Criteria	Supports with Exceptions	See Section Remarks and Explanations.
Section 1194.41 Information, Documentation and Support	Supports	

[Return to the top of the page.](#)

Section 1194.21 Software Applications and Operating Systems – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports	
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for	Supports	

those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.		
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports	
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports	
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports	
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	There are no animations being displayed in the software.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports	The computer software has a 'Set up High Contrast' Option for the computer screen. The color/contrast

		settings of the printer display cannot be adjusted.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	

[Return to the top of the page.](#)

Section 1194.22 Web-based Internet information and applications – Detail

VPAT™ Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Not Applicable	Product is not web-based Internet information or an application.
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not Applicable	Product is not web-based Internet information or an application.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Not Applicable	Product is not web-based Internet information or an application.
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Not Applicable	Product is not web-based Internet information or an application.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable	Product is not web-based Internet information or an application.

(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not Applicable	Product is not web-based Internet information or an application.
(g) Row and column headers shall be identified for data tables.	Not Applicable	Product is not web-based Internet information or an application.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	Product is not web-based Internet information or an application.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	Product is not web-based Internet information or an application.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	Product is not web-based Internet information or an application.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable	Product is not web-based Internet information or an application.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not Applicable	Product is not web-based Internet information or an application.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Not Applicable	Product is not web-based Internet information or an application.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Not Applicable	Product is not web-based Internet information or an application.
(o) A method shall be provided that	Not Applicable	Product is not web-

permits users to skip repetitive navigation links.		based Internet information or an application.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	Product is not web-based Internet information or an application.

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

[Return to the top of the page.](#)

Section 1194.23 Telecommunications Products – Detail
VPAT™
Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	Product is not a telecommunications device.
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Product is not a telecommunications device.
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Product is not a telecommunications device.
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user	Not Applicable	Product is not a telecommunications device.

within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.		
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	Product is not a telecommunications device.
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	Product is not a telecommunications device.
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Product is not a telecommunications device.
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	Product is not a telecommunications device.
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not Applicable	Product is not a telecommunications device.
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not Applicable	Product is not a telecommunications device.
(k)(1) Products which have mechanically operated controls or keys	Not Applicable	Product is not a telecommunications

shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.		device.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	Not Applicable	Product is not a telecommunications device.
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Not Applicable	Product is not a telecommunications device.
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Not Applicable	Product is not a telecommunications device.

[Return to the top of the page.](#)

Section 1194.24 Video and Multi-media Products – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but	Not Applicable	Product is not a video or multimedia device.

<p>not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>		
<p>(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p>	<p>Not Applicable</p>	<p>Product is not a video or multimedia device.</p>
<p>(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.</p>	<p>Not Applicable</p>	<p>Product is not a video or multimedia device.</p>
<p>(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.</p>	<p>Not Applicable</p>	<p>Product is not a video or multimedia device.</p>
<p>(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.</p>	<p>Not Applicable</p>	<p>Product is not a video or multimedia device.</p>

[Return to the top of the page.](#)

Section 1194.25 Self-Contained, Closed Products – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
<p>(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.</p>	<p>Supports with Exception</p>	<p>Exception: Utilizing certain button and display panel functions on the printer may not be possible for users with vision impairment or dexterity impairment.</p> <p>Supported: Assistive technology is not required to manually feed paper, retrieve product output, or access buttons / display panels. Each of these items can be achieved when in physical proximity to the product.</p> <p>Some functions can be performed via the ActKey utility or other web based platforms from the computer.</p>
<p>(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>	<p>Not Applicable</p>	<p>Timed responses are not required to operate this product.</p>
<p>(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p>	<p>Supports with Exceptions</p>	<p>Exceptions: Not all keys have indentations or unique shapes to identify the type of key/key function.</p> <p>The product display panel could be difficult or impossible for an individual with vision difficulties or blindness to utilize.</p> <p>Key repeat is not supported in most functions, but it is</p>

		<p>required when using the product keypad 1 – 9 to type/switch between numbers, and upper and lowercase letters.</p> <p>Supported: Performing product functions from a computer with an operating system that is compatible with assistive technologies instead of using the product keys and/or product screen.</p> <p>Controls and keys are operable with one hand and less than a 5 lbs./22.2 N force.</p>
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	Product does not have this feature.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Supports with Exception	Exception: Audible feedback (beeping) occurs but is not mandatory to effectively use the product; therefore, no connector is provided for an external audio device.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Product does not have this feature.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	
(h) When a product permits a user to	Not Applicable	The product does

<p>adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>		<p>not allow the user to adjust the color/contrast settings of the device display. The software (print drives & utilities) does not allow the user to adjust the color/contrast settings of the device display.</p>
<p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Supports with Exception</p>	<p>Exception: The product's LED power switch may blink at a higher speed (0.3) if the product malfunctions. To stop the higher speed blinking, unplug the machine.</p> <p>Supported: The product screen is not designed to flicker with a frequency between 2 Hz and 55 Hz during normal use or malfunction.</p>
<p>(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>	<p>Supports</p>	<p>Though these printers are not freestanding, configurations are feasible provided the end user places the product in a location that allows these configurations. The product screen is adjustable by about 45 degrees which assists with visibility from different angles and/or heights. Fully lifting the document cover is not required to use the flatbed; however, doing so may exceed 54 inches. Using an additional tray will increase the overall height of the product and may affect the configurations depending on where the end user places the product.</p>
<p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches</p>	<p>Supports</p>	<p>Though these printers are not freestanding, configurations are feasible provided the end user places the product in a location</p>

<p>or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>		<p>that allows these configurations. The product screen is adjustable by about 45 degrees which assists with visibility from different angles and/or heights. Fully lifting the document cover is not required to use the flatbed; however, doing so may exceed 54 inches. Using an additional tray will increase the overall height of the product and may affect the configurations depending on where the end user places the product.</p>
<p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Though these printers are not freestanding, configurations are feasible provided the end user places the product in a location that allows these configurations. The product screen is adjustable by about 45 degrees which assists with visibility from different angles and/or heights. Fully lifting the document cover is not required to use the flatbed; however, doing so may exceed 54 inches. Using an additional tray will increase the overall height of the product and may affect the configurations depending on where the end user places the product.</p>
<p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>	<p>Supports</p>	<p>Though these printers are not freestanding, configurations are feasible provided the end user places the product in a location that allows these configurations. The product screen is adjustable by about 45 degrees which assists with visibility from different angles and/or heights. Fully lifting the document cover is not required to use the</p>

		flatbed; however, doing so may exceed 54 inches. Using an additional tray will increase the overall height of the product and may affect the configurations depending on where the end user places the product.
--	--	---

[Return to the top of the page.](#)

<p>Section 1194.26 Desktop and Portable Computers – Detail</p> <p>VPAT™</p> <p>Voluntary Product Accessibility Template®</p>		
<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Not Applicable	Product is not a desktop or portable computer.
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not Applicable	Product is not a desktop or portable computer.
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	Product is not a desktop or portable computer.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Not Applicable	Product is not a desktop or portable computer.

[Return to the top of the page.](#)

**Section 1194.31 Functional Performance Criteria –
Detail
VPAT™
Voluntary Product Accessibility Template®**

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with Exception	Exception: If a user is blind or visually impaired, product functions performed using the product screen and/or buttons may not be possible. Supported: Performing product functions from a computer with an operating system that is compatible with assistive technologies instead of using the product keys and/or product screen.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports with Exception	Exception: If a user is visually impaired, product functions performed using the product screen and/or buttons may not be possible. Supported: Performing product functions from a computer with an operating system that is compatible with assistive technologies instead of using the product keys and/or product screen.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supports	
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support	Not Applicable	Audio information is not important for use of the product.

<p>for assistive hearing devices shall be provided.</p>		
<p>(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.</p>	<p>Supports</p>	
<p>(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p>	<p>Supports with Exception</p>	<p>Exception: For a user without fine motor control, product functions performed using the product screen and/or buttons may be difficult or not possible.</p> <p>Supported: Performing product functions from a computer with an operating system that is compatible with assistive technologies instead of using the product keys and/or product screen.</p> <p>Simultaneous actions are not required to operate this product.</p> <p>The product screen is adjustable by about 45 degrees which assists with visibility from different angles and/or heights.</p> <p>Provided the end user places this product in a location which allows someone with limited reach to access the product and product controls, as is defined in § 1194.25 Part J 1, 2, 3, 4, a user with limited reach and limited strength can operate this product.</p>

[Return to the top of the page.](#)



Section 1194.41 Information, Documentation and Support – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports	To request, please call 1-800-OKI-DATA (1-800-654-3282) or email support@okidata.com
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports	To request, please call 1-800-OKI-DATA (1-800-654-3282) or email support@okidata.com
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	To request, please call 1-800-OKI-DATA (1-800-654-3282) or email support@okidata.com

[Return to the top of the page.](#)

This Voluntary Product Accessibility Template (VPAT) document by Oki Data Americas, Inc. (Oki) is for informational purposes only. It is not a warranty or contractual agreement, implied or otherwise.

Product design, product specifications, and this VPAT are subject to change without notice at any time. The information in this VPAT may be based on similar Oki product models.

This VPAT does not guarantee accuracy of information or results. Information contained in the VPAT is based on the assumed general use and function of the product and does not consider other interactions with the product, including but not limited to, maintenance, troubleshooting, repairs, or improper use of the product.